

ARCHAEOLOGICAL SURVEY OF 18.2 KILOMETERS (11.3 MILES) OF THE U.S.-MEXICO INTERNATIONAL BORDER, ORGAN PIPE CACTUS NATIONAL MONUMENT, PIMA COUNTY, ARIZONA



Prepared by

Andrew S. Veech, Ph.D.
Intermountain Region Archaeology Program
National Park Service

with contributions by Jared E. Renaud, Jacob DeGayner, Iraida Rodriguez, and Sharlot Hart

July 2019

Intermountain Region Archaeology Project No. ORPI 2019 B

Abstract

Between June 24 and 28, 2019, archaeologists with National Park Service's (NPS) Intermountain Region Archaeology Program (IMRAP) and Southern Arizona Support Office (SOAR) conducted a systematic pedestrian survey of 18.2 km (11.3 mi) of the southern boundary of Organ Pipe Cactus National Monument (ORPI), a portion of the 3,201 km (1,989 mi) long international border between the United States and Mexico. Over the course of this five-day-long field project the archaeologists surveyed a total of 45.3 ha (112 ac). Cumulatively, they identified, recorded, and mapped 35 isolated occurrences, 20 isolated features, and 5 archaeological sites.

This report 1) summarizes the survey findings and 2) offers National Register of Historic Places (NRHP) eligibility recommendations for the 5 newly identified archaeological sites.

Table of Contents

List of Figures	iii
List of Tables	iv
Acknowledgments	v
I. Introduction	1
II. Environmental Setting	3
III. Regional Culture History	6
IV. Previous Archaeological Research	14
V. Previously Recorded Archaeological Resources (n=17) within the Roosevelt Reservation of ORPI.	1
VI. Survey Methodology	
VII. Description of Newly Recorded ORPI Roosevelt Reservation Archaeological Sites ORPI 2019 B, Site 1	43 46 49 52
ORPI 2019 B, Site 5 VIII. Management Recommendations	58
References Cited	59
Appendix A: Maps of Previously Surveyed Areas along the Southern Boundary of Organ Pipe Cactus National Monument	
Appendix C: Geospatial Coordinates of Isolated Occurrences (n=35) Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)	81
ORPI Southern Boundary Survey (ORPI 2019 B)	
Appendix F: Selective Photos of Isolated Features Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)	95
the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)	98
Appendix H: Selective Photos of ORPI 2019 B Site Artifacts	100
, -, -, -,	0 0

List of Figures

1.	ORPI Roosevelt Reservation survey team atop Monument Hill, June 27, 2019	V
2.	Satellite image of Organ Pipe Cactus National Monument and the U.SMexico	
	International Border	1
3.	Section of existing border fence within ORPI, view to the southwest	2
4.	Archaeological sites identified in the Dos Lomitas vicinity	19
5.	Map of ORPI 00100	20
6.	Map of ORPI 00184	22
7.	Map of ORPI 00330	23
8.	Map of ORPI 00420	24
9.	Map of ORPI 00421	25
10.	Map of ORPI 00425, demarcating overall site boundaries and four lithic	
	concentrations	26
11.	Archaeological sites identified in the Quitobaquito vicinity	28
12.	Paul Ezell's 1951 Sketch map of Quitobaquito (SON B:4:1), showing	
	Hia C-ed O'odham structures and fields prior to NPS demolition	29
13.	Unprovenienced artifacts collected by Paul Ezell from Quitobaquito	
	(SON B:4:1) in 1951	29
14.	Lynn Teague's 1977 site map of SON B:4:9	30
15.	Lynn Teague's 1977 site map of SON B:4:13	31
16.	Lynn Teague's 1977 site map of SON B:4:14	32
17.	Map of SON B:4:33	33
18.	Map of SON B:4:34	34
19.	Map of SON C:1:79	35
20.	Map of precontact, protohistoric, and historic-period O'odham trail corridors	
	crossing ORPI	37
21.	Map of ORPI 00298, a series of precontact, protohistoric, and historic-period	
	O'odham trails and roads around Quitobaquito	38
22.	Map of ORPI 00299, a series of precontact, protohistoric, and historic-period	
	O'odham trails near Blankenship Ranch	39
23.	Project archaeologists preparing to walk an east-west survey transect, spaced at	
	5 m (16.4 ft) intervals, view to the northwest	40
24.	Project archaeologists pin flagging ORPI 2019 B, Site 3 in advance of recording,	
	view to the north	41
	Jake DeGayner recording data on a Trimble unit within ORPI Roosevelt Reservation	41
26.	Locations of 5 archaeological sites along the southern boundary of ORPI identified	
	and recorded during June 2019 survey	
	Map of ORPI 2019 B, Site 1	
28.	ORPI 2019 B, Site 1, view to the north	44
	ORPI 2019 B, Site 1, view to the south.	
	Map of ORPI 2019 B, Site 2	
	ORPI 2019 B, Site 2, view to the north.	
	ORPI 2019 B, Site 2, view to the south.	
	Map of ORPI 2019 B, Site 3.	
34.	ORPI 2019 B, Site 3, view to the north	50

35.	ORPI 2019 B, Site 3, view to the south	50
36.	Cobble cluster within ORPI 2019 B, Site 3, view to the north	51
	Map of ORPI 2019 B, Site 4.	
38.	ORPI 2019 B, Site 4, view to the north.	53
	ORPI 2019 B, Site 4, view to the north.	
	Map of ORPI 2019 B, Site 5	
	ORPI 2019 B, Site 5, view to the north	
42.	ORPI 2019 B, Site 5, view to the south.	56
	I :- 4 - C T-1-1	
	List of Tables	
	Hohokam chronology	8.
2.	Previously recorded ORPI archaeological sites (n=7) in the vicinity of Quitobaquito and	
	Aguajita Wash1	7
3.	Previously recorded ORPI archaeological sites (n=7) and local resource types (n=1) in	
	the vicinity of the Dos Lomitas	8
4.	Previously recorded archaeological sites elsewhere along the southern boundary of	
	ORPI (n=3)	
5.	Inventory of non-utilized flaked stone artifacts (n=55), ORPI 2019 B, Site 1	44
	Inventory of other lithic artifacts (n=5), ORPI 2019 B, Site 1	
	Inventory of ceramics and marine shell (n=56), ORPI 2019 B, Site 1	
	Inventory of non-utilized flaked stone artifacts (n=31), ORPI 2019 B, Site 2	
9.	Inventory of utilized flaked stone artifacts (n=3), ORPI 2019 B, Site 2	18
	Inventory of ceramics (n=22), ORPI 2019 B, Site 2	
11.	Inventory of non-utilized flaked stone artifacts (n=27), ORPI 2019 B, Site 3	50
12.	Inventory of utilized flaked stone artifacts (n=5), ORPI 2019 B, Site 3	51
	Inventory of non-utilized flaked stone artifacts (n=4), ORPI 2019 B, Site 4	
14.	Inventory of utilized flaked stone artifacts (n=2), ORPI 2019 B, Site 4	54
15.	Inventory of ceramics and marine shell (n=4), ORPI 2019 B, Site 4	54
	Inventory of non-utilized flaked stone artifacts (n=66), ORPI 2019 B, Site 5	
17.	Inventory of utilized flaked stone artifacts (n=2), ORPI 2019 B, Site 5	57

Acknowledgments

Archaeology is a collaborative enterprise. Certainly, this report results from substantial collaboration, so thanks must be offered to the individuals who contributed toward its completion.

First, my thanks to the dedicated, hardworking staff of the ORPI Resources Management Division—most particularly Rijk Morawe, Lauren Kingston, and Jared Renaud. Day in and day out, these steadfast individuals continue to identify, evaluate, and preserve ORPI archaeological resources, unperturbed by the contentious political debates pertaining to the U.S.-Mexico International Border. Despite daunting challenges and limited resources, the ORPI Resources Management Division continues to perform the mission of the National Park Service—preserving the natural and cultural resources of Organ Pipe Cactus National Monument for present and future generations.

Secondly, my thanks to the diligent and remarkably talented archaeologists of the NPS's Southern Arizona Support Office (SOAR)—Matt Guebard, Jake DeGayner, Iraida Rodriguez, and Sharlot Hart. The SOAR team's deep familiarity with southern Arizona parks and their ability to deftly apply cutting-edge technologies to archaeological problem-solving are to be heartily commended.

Finally, my thanks to IMR Regional Archaeologist Jim Kendrick for providing me the opportunity to once again provide technical assistance to this invaluable national monument and International Biosphere Reserve.



Figure. 1. ORPI Roosevelt Reservation survey team atop Monument Hill, June 27, 2019 (photo by A. Veech).

I. Introduction

Organ Pipe Cactus National Monument (ORPI) is a vast, 1,320 km² (517 mi²) national park unit and UNESCO biosphere reserve in southwestern Arizona, containing an abundance natural and cultural resources unique to the Sonoran Desert. ORPI's 48.3 km- (30 mi-) long southern boundary constitutes a portion of the 3,201 km- (1,989 mi-) long international border between the United States and Mexico (Figure 2).



Figure 2. Satellite image of Organ Pipe Cactus National Monument and the U.S.-Mexico International Border (courtesy of Google Earth).

Recently, the U.S. Army Corps of Engineers awarded two contracts valued at \$787 million for the replacement and extension of border fencing across much of the U.S. Customs and Border Patrol's (CBP) Tucson Sector, including the entirety of ORPI's 48.3 km- (30 mi-) long southern boundary (Figure 3). This construction project may commence at soon as July 2019, and it is scheduled for completion before the close of January 2020. The project entails the wholesale replacement of all existing vehicle barriers and pedestrian fencing along ORPI's southern boundary with a new, continuous 9.1 m- (30 ft-) tall, steel bollard fence, undergirded by a 2.44 to 3.04 m- (8 to 10 ft-) deep concrete and steel foundation. Likewise, the project includes the construction, expansion, and/or improvement of existing roads along the U.S. side of the border and the installation of spotlights and surveillance equipment.



Figure 3. Section of existing border fence within ORPI, view to the southwest (photo by A. Veech).

Precise design plans for this expanded border infrastructure have been left to the discretion of the contractors (i.e., Southwest Valley Constructors of Albuquerque, New Mexico and BFBC, LLC of Bozeman, Montana), and no details about the building project(s) have been furnished to the National Park Service (NPS). However, NPS managers have been informed that the project shall encompass the entirety of the 18.3 m- (60 ft-) wide Roosevelt Reservation along ORPI's southern boundary—an area cumulatively encompassing more than 88.3 ha (218.2 ac). So, for planning purposes, the NPS regards the entire 18.3 m- (60 ft-) wide Roosevelt Reservation as an area of great concern, whose cultural and natural resources are imperiled.

In light of this imminent border fence construction project, ORPI resource managers—in collaboration with Intermountain Region Archaeology Program (IMRAP) staff and Southern Arizona Support Office (SOAR) personnel—are now developing plans for the broad-scale recovery of threatened archaeological resources along the park's 48.3 km- (30 mi-) long southern boundary (IMRAP 2019). To fully develop this plan, park managers must first comprehensively inventory and evaluate all archeological resources across that boundary. While broad sections of ORPI's southern boundary have been previously surveyed for archaeological resources (most notably around Quitobaquito and the Dos Lomitas; see Section V of this report), other sections still remain archaeologically unexamined.

Between June 24 and 28, 2019, NPS archaeologists from IMRAP, SOAR, and ORPI systematically surveyed 18.2 km (11.3 mi) of ORPI's previously unexamined southern boundary (see Appendix B). This five-day pedestrian survey covered the entirety of the 18.3 m- (60 ft-) wide Roosevelt Reservation within the survey zone, an area of approximately 45.3 ha (112 ha). Numerous previously unrecorded archaeological resources were identified, plotted, and evaluated across the survey zone. These include 35 isolated occurrences, 20 isolated features, and 5 archaeological sites. This report summarizes those findings and offers recommendations for NRHP eligibility.

II. Environmental Setting

ORPI lies in the heart of the Sonoran Desert—one of the hottest and most arid regions in all of North America. The 48.3 km (30 mi) long southern boundary of the monument constitutes part of the international border between the United States and Mexico. To the east, the monument is bounded by the Tohono O'odham Reservation; to the west, it is bounded by the Cabeza Prieta National Wildlife Refuge (CPNWR). ORPI takes its name from the organ pipe cactus (*Stenocereus thurberi*), a species indigenous to the Sonoran Desert, whose range reaches its northern extent in southwestern Arizona.

Geology

ORPI is situated within the Basin and Range Geologic Province. Basin and Range is a geologic term describing a series of discrete yet parallel drop-faulted mountain ranges separated by wide desert plains (Hunt 1974; Palacio-Fest and Rankin 2008). ORPI's eastern boundary is defined by the 24-km- (15-mi-) long Ajo Range, plus a portion of the lower-lying Santa Rosa Mountains; its northwestern boundary is defined by the Growler Mountains. Between these ranges lie the Bates Mountains, Puerto Blanco Mountains, Sonoyta Mountains, Diablo Mountains, Cipriano Hills, and Quitobaquito Hills, all of which are contained completely within the monument. Each of these various ranges trends roughly northwest-to-southeast. *Bajadas* (broad slopes of debris spread along the lower slopes of mountains by the coalescence of alluvial fans) join the mountain ranges with their adjacent valley lowlands. Elevations within the monument vary between 1,476 m (4,843 ft) at the peak of Mount Ajo and 299 m (980 ft) at Hocker Well (Brown et al. 1983:4). Bedrock in the region developed 1.5 and 2 billion years ago, the consequence of volcanic activity. Later episodes of basaltic volcanism occurred between 23 million and 10 million years ago, yielding massive uplifted granitic layers that now constitute the region's mountain ranges (Bezy et al. 2000; Chamberlin 1972:2; Greene 1977:3; Tagg et al. 2002:5–7).

Hyperthermic arid soils characterize the western portion of the Papaguería. These are dominated by two soils: Coolidge-Denure-Rillito and Gunsight-Momoli-Chuckawalla. Gunsight-Momoli-Chuckawalla soils include deep and well-drained loams and gravelly loams with moderate permeability. Coolidge-Denure-Rillito soils consist of deep, medium- and moderately coarse-textured, nearly level to gently sloping loams on low alluvial surfaces and valley plain. Neither soil association is considered well suited to agricultural use today, but cultivation is possible in these soils with careful management and frequent irrigation (Palacio-Fest and Rankin 2008). Soils within ORPI are characterized as Antho fine sandy loam (found on 0-3% slopes), Ciprioni gravelly loam (0-5% slopes), Gachado very gravelly loam (2-8% slopes), Gilman very fine sandy loam (0-3% slopes), Gunsight very gravelly loam (on both 0-2% slopes and 2-15% slopes), Rillito gravelly sandy loam (0-3% slopes), and as soils of the Harqua-Gunsight complex (0-3% slopes) (Chamberlin 1972).

Hydrology

Surface water is a limited, often unavailable resource in the Sonoran Desert. Permanent, flowing streams are rare, and springs and seeps (places where subsurface water emerges from the ground through openings in rock or soil) usually are restricted to mountainous areas. Groundwater in

ORPI is solely a function of rainfall, mostly from the mountains. Multiple stream channels contribute to recharging the monument's few aquifers. Today, the average depth of those aquifers is approximately 23 m (75.5 ft) (Palacio-Fest et al. 2008:168). Documented springs at ORPI include: Bee Spring, Dripping Springs, Bull Pasture Spring, Aguajita Spring, Quitobaquito Springs, and Williams Spring. *Tinajas*, also known as rock tanks or plunge pools, are basins or depressions that are scoured into bedrock by erosional forces. Tinajas capture rainfall and runoff and hold that water for periods ranging from several days to months. Documented tinajas at ORPI include: Diaz Peak Tinaja, Jackson's Hole Tinaja, North Alamo Tinaja, Paisley Tinaja, and the Wild Horse Tank Tinajas. Seasonal washes or arroyos dissect the valleys of the Sonoran Desert, transporting heavy amounts of runoff water (as much as 7.62 cm [3 in] per hour) and alluvial soils during the summer monsoon season. Major washes within ORPI include: Alamo Wash, Aguajita Wash, Cherioni Wash, Growler Wash, Kuakatch Wash, and San Cristobal Wash (Brown et al. 1983; Rankin 1995:15-29).

Climate

The 37-year mean average rainfall recorded at the monument headquarters is 23.3 cm (9.17 in), and typically half of that precipitation falls during the monsoon season of July, August, and September (Brown et al. 1983:4). This summer monsoon precipitation often occurs abruptly in localized areas, resulting in flash floods (Ives 1936). July is the hottest month at the monument, averaging 32.7° C (90.9° F), with an average maximum daily temperature of 39.6°C (103.2° F). January is the coolest month, averaging 11.7° C (53.0° F), with an average minimum daily temperature of 5.4° C (41.7° F) (Johnson 1997:164). Drought conditions at ORPI are most prevalent during April, May, and June, just prior to the summer monsoon season (Brown et al. 1983:6).

Flora

ORPI is an environmental transition zone where plant and animal species reach their maximum extent. Species indigenous to three subdivisions of the Sonoran Desert—Arizona Uplands, Lower Colorado, and Central Gulf Coast (Shreve and Wiggins 1964)—merge within the monument boundaries. There are at least 643 plant species within ORPI, including subspecies and hybrids (Felger et al. 2007:209). Dominant plant species are creosote bush (*Larrea tridentata*), organ pipe cactus (*Stenocereus thurberi*), saguaro cactus (*Carnegiea gigantea*), and white bursage (*Ambrosia dumosa*). Also well represented are cholla (*Cylindropuntia* species), mesquite (*Prosopis* species), paloverde (*Parkinsonia* species), ocotillo (*Fouquieria splendens*), saltbush (*Atriplex* species), and scrub oak (*Quercus turbinella*) (Kearney and Peebles 1951:14; Shreve and Wiggins 1964:58; Tagg et al. 2002:9–10). The Sonoran Desert contains over 200 species of edible and medicinal plants as well as plant material for basketry, tools, shelter, and fuel. In general, the greatest abundance and variety of edible and usable plant resources is located on the bajadas (Rankin 1995:20).

Fauna

Hundreds of animal species (mammals, birds, reptiles, amphibians, arachnids, and insects) inhabit and traverse ORPI. Large mammals found within the monument include mule deer

(Odocoileus hemionus), white-tailed deer (Odocoileus virginianus), javelina (Dicotyles tajacu), coyote (Canis latrans mearnsi), bobcat (Lynx rufus baileyi), mountain lion (Puma concolor Azteca), and the endangered Sonoran pronghorn (Antilocapra americana sonorensis). Smaller mammals include the desert cottontail rabbit (Sylvilagus auduboni arizonae), black-tailed jackrabbit (Lepus californicus eremicus), common cactus mouse (Peromyscus eremicus), kangaroo rat (species Dipodomys), and pocket mouse (species Chaetodipus) (Tagg et al. 2002:10; Henry 2007:276–278). Common, year-round bird species include the Gambel's quail, roadrunner, white-wing dove, and raven. Numerous additional bird species migrate through the monument, including flycatchers, pelicans, ducks, geese, swans, hawks, and eagles (Griffin 2007:291–302). Indigenous reptile species include the desert iguana (Dipsosaurus dorsalis), gila monster (Heloderma suspectum), chuckwalla (Sauromalus obesus), Western diamond-back rattlesnake (species Crotalus), and desert tortoise (Gopherus aggasizii) (Rosen 2007:312–314).

III. Regional Culture History

Human groups have been present across ORPI's arid landscape for at least 10,500 years, and perhaps far longer (NPS 1997:35). Throughout most of that vast period, groups survived by practicing various strategies of nomadic hunting and gathering, roaming constantly or seasonally in search of water, edible plants, and game animals. Later in precontact times, certain groups adopted irrigation agriculture, settling near and farming the alluvial soils of seasonally-flowing washes. During historic times, some groups (most of European descent) grazed livestock across the region's sparse pasturage, while others mined ore deposits from the mountains. ORPI's culture history can be divided into five major periods: 1) Paleoindian, 2) Archaic, 3) Precontact Ceramic, 4) Protohistoric, and 5) Historic. This cultural history is summarized below, and the terms Before Common Era (BCE) and Common Era (CE) are applied. This present summary draws heavily from two previous synopses—namely, Rankin (1995) and Greene (1977).

Paleoindian Period (circa 15,000-8,500 BCE)

Paleoindian is a classificatory term applied to the small bands of migratory hunter-gatherers who entered and dispersed across the Americas during the final millennia of the Late Pleistocene Epoch (ca. 45,000-10,000 BCE), an era characterized by worldwide glacial advances and retreats. The archaeological assemblage most commonly associated with Paleoindian peoples is the Clovis tradition (10,500-8,800 BCE), a cultural complex whose hallmark artifact is the Clovis point—a lanceolate-shaped, fluted projectile point, occasionally found in association with the hunted and butchered remains of mammoth, mastodon, and other Pleistocene megafauna species (Anderson and Gillam 2000; Huckell and Haynes 2007).

Until recently, most archaeologists assumed Clovis peoples to have been the earliest Paleoindians in the Americas. This assumption now is discounted, due to the discovery and chronometric dating of "pre-Clovis" archaeological deposits at sites in Chile, Pennsylvania, Virginia, and elsewhere (Adovasio et al. 1990; Dillehay and Collins 1988; Feathers et al. 2006). These pre-Clovis assemblages have yet to be definitively characterized, though they have been termed as "blade-core technologies" and "Solutrean-like." What is clear, however, is that they have been recovered from stratified deposits underlying Clovis artifacts, thus pushing back Paleoindian presence in the Americas by hundreds if not thousands of years.

Documented Clovis tradition discoveries in southwestern Arizona and northern Sonora, Mexico consist mainly of isolated projectile points. For instance, Ezell (1951-1952) discovered a Clovis point within the Growler Valley, just several miles northwest of ORPI inside CPNWR (Rankin 1995:45). The earliest firmly dated Clovis deposits in southwestern Arizona occur at Ventana Cave on the Tohono O'odham Reservation in Pima County and date to 9,350 BCE, a period when regional climate was cooler and moister (Haury 1950; Huckell and Haynes 2003).

No unequivocal evidence of pre-Clovis peoples in southwestern Arizona and northern Sonora has yet been found. However, alleged pre-Clovis artifacts and features have been identified on desert pavements situated within the Sierra Pinacate region, slightly southwest of ORPI. Terms applied to this alleged pre-Clovis tradition include Malpais and San Dieguito Phase I (Hayden 1966, 1967, 1976; Heilen 2004; Rogers 1939, 1958; Sanchez and Carpenter 2012, 2016).

Archaic Period (8,500 BCE-300 CE)

The term Archaic does not refer to a particular group(s) of precontact American Indians. Rather, it is an archaeological construct, a generalized term referring to a widely shared assemblage of material technologies and adaptive strategies employed by a variety of precontact American Indian groups. Archaic peoples inhabited a Holocene landscape, characterized by natural ecosystems and environmental conditions similar to those existing today. Regional climate patterns (temperature, precipitation, etc.) resembled those prevailing now, as did the various arrays of regionally-prevalent floral and faunal species (Emerson et al. 2009; Ritchie 1932a, 1932b; Willey and Phillips 1958:104-143).

Although geographically circumscribed and less nomadic than their Paleoindian predecessors, Archaic peoples were not fully sedentary. Rather, they periodically relocated to various places within their home territories, harvesting wild plants and animals as they became seasonally available. Group sizes waxed and waned during the course of this seasonal round-making, contingent on the abundance of wild foodstuffs in particular localities.

Archaic peoples, as a whole, were not horticulturalists; rather they were highly accomplished hunter-gatherers (Emerson et al. 2009; Ritchie 1932a, 1932b; Willey and Phillips 1958:104-143). Certain groups apparently were familiar with horticulture and domesticated foodstuffs, yet chose not to adopt a horticultural lifeway for various reasons. Some groups inhabited marginal, arid environments ill-suited for plant domestication. Others, because they inhabited regions naturally abundant with wild foodstuffs, saw no incentive to abandoning their hunter-gatherer lifeway.

Archaic peoples did not possess bow-and-arrow technology. Instead, they used spears and darts, sometimes propelled with atlatls (Blitz 1988; Justice 2002:44-47; Kelley 1959:277; Nassaney and Pyle 1999; Ritchie 1932a:408). The stones they procured to make such spear and dart points were usually quarried locally, rather than acquired from distant sources. Archaic peoples also did not generally make pottery, though they did excel at weaving, basketry, woodcarving, ground stone tool-making, and other craft pursuits. Certain groups were not familiar with pottery-making. Others apparently chose not to make pottery, due to pottery's fragility and hence its unsuitability for a semi-sedentary lifestyle (Crown and Wills 1995; Eerkens et al. 2002:222-225; Sassaman 2004:23-40; Spangle et al. 1959:6).

The Southwestern Archaic is the regional variant of the Archaic tradition that flourished at ORPI and across the Sonoran Desert. A remarkably extensive period in regional human history (8,500 BCE-300 CE), the Southwestern Archaic is divided into three archaeological phases (i.e., Early, Middle, and Late), each of which is identified by a distinctive set of traits and projectile point styles. All three phases are represented in the ORPI archaeological record. The Early Archaic spans the period from roughly 8,500 to 4,800 BCE. Early Archaic assemblages include percussion-flaked scrapers, foliate bifacial knives, choppers, flat slab metates, oval manos, and tapering-stemmed projectile points resembling Silver Lake and Lake Mohave points. The Middle Archaic extends from approximately 4,800 to 1,500 BCE. Characteristic projectile points include Bajada, Chiricahua, Gypsum Cave, Pinto, and an assortment of stemmed varieties with indented bases. Basin-shaped metates appeared during this phase. The Late Archaic extends from roughly 1,500 BCE to 300 CE. During this phase, regional lithic toolkits expanded in both size and

complexity. Higher-quality stone was quarried for chipped-stone tool manufacturing; side-notched and corner-notched points (e.g., San Pedro points) predominate. Ground-stone tool manufacturing became considerably more sophisticated and varied, evidenced by basin-shaped metates, shaped manos, mortars, pestles, and gyratory crushers. (Huckell 1984; Rankin 1995:49-50).

Precontact Ceramic Period (300-1450 CE)

The end of the Archaic period is marked by the introduction of pottery and the adoption of horticulture. The precontact ceramic period at ORPI is represented by three cultural traditions: Hohokam, Patayan, and Trincheras. All three reach their maximum geographic extent in the monument, although the archaeological record is dominated by the Hohokam.

Hohokam (300-1400 CE)

The Hohokam were the preeminent sedentary, pottery-producing horticulturalists of all southern Arizona, including ORPI. The Hohokam arose from indigenous Archaic populations in southeastern Arizona, ones who lived in pithouse villages near the Gila and Salt rivers and their larger tributaries, the Verde, San Pedro, Santa Cruz, and Agua Fria rivers (Crown 1991:144; Masse 1991:197). Through time, these groups intensified their cultivation of (and dependence on) Mesoamerican cultigens (especially corn, beans, and squash), adopting and adapting various techniques of floodwater farming (floodplain-inundation farming and *ak-chin* farming) (Masse 1991:208-210). The boundaries of Hohokam culture (variable through time) are measured archaeologically by specific elements of material culture: various diagnostic ceramics, marine shell items, ballcourts, and platform mounds (Wilcox 1980, 1991). The Hohokam chronology proposed by Dean (1991), which begins around 300 CE, is now generally accepted and is used in this report (Table 1).

Table 1. Hohokam chronology (from Dean 1991:91).

Period	Phase	Date Range
Classic	Civano Soho	1300-1400 CE 1150-1300 CE
Sedentary	Sacaton	975-1150 CE
Colonial	Santa Cruz Gila Butte	850-975 CE 775-850 CE
Pioneer	Snaketown Sweetwater Estrella Vahki	700-775 CE 600-700 CE 500-600 CE 300-500 CE

Pioneer Period (300-775 CE). Archaeological investigations, to date, suggest just a scant Hohokam presence in southwestern Arizona throughout the Pioneer period. No Pioneer-period sites or isolated sherds have yet been identified at ORPI (Rankin 1995:55-57). Early Pioneer period sites (300-500 CE) are characterized by locally-manufactured, utilitarian ceramics (plain, buff/brown wares and polished red wares). Decorated ceramic types (red-on-gray wares and red-

on-buff wares) appear later during the period (500-775 CE), alongside utilitarian wares (Crown 1991:145-147).

Colonial Period (775-975 CE). Colonial period sites occur with greater frequency than Pioneer period sites across southwestern Arizona, suggesting increased Hohokam migration to and settlement of the region through time. While resembling Pioneer period archaeological assemblages, Colonial period assemblages generally possess a greater quantity and diversity of materials. A broader spectrum of locally-manufactured items (ceramics, ground and chipped stone implements, etc.) is evident in Colonial assemblages, as is a wider range of finished goods and raw materials acquired through long-distance trade (e.g., marine shell ornaments, macaw feathers, turquoise). Ceramics diversify across the Hohokam culture area during the period, evidence of more localized pottery-making traditions. In southwestern Arizona, red-on-buff and red-on-brown wares proliferate, as do plain buff wares (e.g., Gila Plain), some with scored exteriors and, less frequently, with complexly executed painted motifs (geometric, zoomorphic, etc.). Small ca. 20-square-meter rectangular and ovular pithouses constitute the typical dwelling house types, frequently arranged in small clusters or courtyard groups of two to four structures. Habitation sites often possess multiple pit house clusters, as well as trash mounds (Crown 1991:150-153; Lindeman 2007; Rankin 1995:147-149).

Sedentary Period (975-1150 CE). In and around ORPI, the Hohokam Sedentary period manifests itself as the Topowa phase, typified by sites containing Salt-Gila area red-on-buff wares, plus lesser quantities of other ceramics (Tucson Basin red-on-brown, Trincheras buff, Lower Colorado Patayan buff). Habitation sites of the period are markedly larger than those of the preceding Colonial period, containing greater numbers and densities of pithouses, inhabited year-round. For instance, the Lost City site (AZ Y:16:1) along Growler Wash inside CPNWR (just west of ORPI) extends more than one linear mile. Marine shell debris abounds at Lost City and nearby Sedentary period habitation sites, suggesting the economic importance of exotic shell trade to local Hohokam populations. Several Sedentary period sites occur within ORPI (e.g., AZ Z:13:63), identified during the 1989-1991 WACC survey (Rankin 1995:58-59).

Classic Period (1150-1400 CE). The bulk of Hohokam sites identified at ORPI and adjacent CPNWR date to the Classic period. Regionally, the Classic period manifests itself as the Sells phase, typified by sites containing both Tanque Verde Red-on-brown wares and Sells Red wares, often in association with lesser quantities of Casa Grande Red-on-Buff, Trincheras Purple-on-red, and Salado polychrome ceramics. The most obvious Sells phase sites are large (> 100 acres), permanently inhabited pithouse villages (e.g., AZ Z:13:1), though other site types also have been identified around the monument (e.g., smaller villages, isolated farmsteads, limited-activity sites). Reservoirs were constructed in close proximity to certain of these villages. Marine shell debris is commonplace, suggesting that area populations remained intensively engaged in the shell trade and shell ornament manufacture, despite the decline of those activities elsewhere in the Classic-period Hohokam world. Obsidian debitage is common as well (Rankin 1995:59-61).

Patayan (700-post 1500 CE)

The Patayan of the lower Colorado River and lower Gila River constitute a separate (less well archaeologically understood) cultural tradition in western Arizona, contemporaneous with yet

distinct from Hohokam. Patayan chronology is divided into three archaeological phases: Patayan I (700-1050 CE), Patayan II (1050-1500 CE), and Patayan III (post 1500 CE). Patayan I diagnostic ceramics include vessels with rim notching, incised motifs, lug and loop handles, burnishing, and red slipping. Patayan II ceramics differ markedly; their traits include stucco finishing, fine-lined geometric motifs, and recurved rims. Patayan III ceramics (e.g., highnecked, small-mouthed olla) resemble those of ethnographically-recorded Quechan (Yuma) populations, to whom they are assumed to be related.

To date, few Patayan I ceramics have been identified in the ORPI vicinity, with the exception of those recovered from intact deposits at the Largo Seco site, slightly to the north of the monument. By contrast, multiple Patayan II ceramics and sites occur in the region, including those previously located within the western portion of the monument (Ezell 1954; Rankin 1995:62-63).

Trincheras (200-1450 CE)

The Trincheras culture constitutes another regional cultural tradition contemporaneous with yet separate from Hohokam. Although indigenous to northern Sonora, Mexico, Trincheras peoples evidently interacted (either directly or indirectly) with established Hohokam groups in southwestern Arizona. Trincheras ceramics (e.g., Trincheras Purple-on-red) occur on several Classic period Hohokam sites inside ORPI. The site type most indicative of late (post-1300 CE) Trincheras culture is the cerro de trincheras, or "terraced hill." These sites consist of isolated volcanic hills crowned by walls and terraces constructed of dry-laid masonry (Fish et al. 2007; Hard and Roney 2007; McGuire 2012; McGuire and Villalpando 1993, 1998, 2015). Two cerros de trincheras have been identified in the immediate vicinity of ORPI, and others have been recorded within the adjacent Tohono O'odham Reservation (Rankin 1995:63-64).

Protohistoric Period (1450-1700 CE)

Protohistoric period sites across southern Arizona and northern Sonora typically consist of scatters of ceramics, chipped- and ground-stone artifacts, and clusters of fire-cracked rock. Artifact assemblages at these sites differ markedly from earlier Hohokam assemblages. Protohistoric ceramics are plain, thin-bodied, sand-tempered wares. Hand wiping marks are discernible on some vessel fragments. Chipped-stone artifacts generally are manufactured from high-quality raw materials, far superior to the lithic materials usually exploited by Hohokam flintknappers. Small, triangular-shaped projectile points with deep basal notching and edge serration are diagnostic protohistoric artifacts, as are chert thumbnail scrapers. To date, several protohistoric sites have been identified within ORPI, though none have been intensively studied, nor have they been positively affiliated within any ethnographically-documented population (Rankin 1995:64).

Historic Period (post 1700 CE)

Historically, the ORPI area was used and periodically occupied by groups of Tohono O'odham (a.k.a., Papago) and Hia C'ed O'odham (a.k.a., Sand Papago or Areneños). Tohono O'odham groups routinely gathered cactus fruit and hunted small game animals in the vicinity. Less

frequently, they traversed the monument on long pilgrimages to and from the Gulf of California, where they gathered sea salt. *I'itoi Mo'o* (Montezuma's Head), in the Ajo Range, is a Tohono O'odham sacred site, as are other places throughout the monument (NPS 1997:33). Tohono O'odham ethnographic informants mention the existence of a *ranchería* (individual farmstead) in the monument's Alamo Canyon area. Likewise, they indicate the presence of old *temporales* (summer agricultural settlements) near Armenta Well. Jesuit and Franciscan accounts denote a small native settlement at Quitobaquito Springs at least by the mid-1700s. Later records from the mid and late 1800s identify that settlement as the Hia C'ed O'odham rancheria called 'A'al Waippa, where irrigation agriculture was practiced up into the early 1900s. Components of the 'A'al Waippa community fall within today's monument boundaries (e.g., Quitobaquito earthen dam, irrigation canals, cemetery) and are inventoried on ORPI's List of Classified Structures, while other components (e.g., the agricultural fields) lie on the Mexican side of the border (NPS 2002).

Traditional Tohono O'odham houses were circular, dirt-roofed brush structures constructed of mesquite saplings, grasses, ocotillo stalks, and saguaro ribs. Mesquite-pole ramadas typically were erected in close proximity to these ephemeral houses, functioning as shaded work areas. Practitioners of monsoon floodwater farming, the Tohono O'odham situated their temporales near the lower alluvial fans of seasonally-flowing arroyos, from which they diverted water for crop fields, called *ak-chin* in O'odham, meaning "mouth of the wash" (Masse 1991:209; NPS 2010:24). These temporales shifted location through time, as did ak-chin. The Tohono O'odham excelled as basket weavers, working principally with yucca and cat claw. They also made pottery, which is distinctive from earlier Hohokam ceramics.

Traditional Hia C'ed O'odham housing was extremely ephemeral, reflective of those groups' predominately nomadic, hunting-and-gathering lifeway. Rounded shelters were built of grasses and brush, propped up within low boulder rings one or two courses high. Archaeologically, these structures occur as boulder-outlined cleared areas. The Hia C'ed O'odham definitely wove basketry; whether or not they made pottery is unclear. They routinely collected Gulf of California seashells for trade with neighboring horticulturalists, exchanging those shells for crops (Rankin 1995:64-66).

The Ajo Range along the monument's eastern boundary have long been a hub of intensive mining activity. Miners (first, Mexicans and later, Americans) dug and smelted copper ore from the Ajos throughout most of the 1800s and early 1900s. Early Mexican miners built the El Monte blast furnace, a site for processing Ajo copper ore, somewhere in the vicinity, perhaps in Alamo Canyon. Likewise, they built roads for packing copper ore southward to the Sonoran towns of Altar and Caborca. Later American firms (e.g., the Arizona Mining and Trading Company, the New Cornelia Mining Company) vastly expanded the scope and intensity of regional copper mining, freighting tons of ore to Yuma, Arizona on the Southern Pacific Railroad and to Gila Bend, Arizona on the Tucson, Cornelia, and Gila Bend Railroad (Greene 1977:50-53). Moderate- to extensive-scale mining activities (for copper, lead, gold, and silver) occurred elsewhere within the monument during the nineteenth and early twentieth centuries—in the Quitobaquito Hills, the Puerto Blanco Mountains, the Sonoyta Mountains, and the Bates and Growler Mountains. Of these areas, the Bates and Growler Mountains were mined most intensively; over 100 claims were filed, prospected, and dug there. Numerous mines (most dating

between the 1870s and 1920s) are scattered throughout ORPI, including Baker Mine, Lost Cabin Mine, Milton Mine, Copper Mountain Mine, and the 122 m (400 ft) deep Victoria Mine (Greene 1977:52-56; NPS 1997:33, 2002; Rheaume 2008:4-5). A vast array of mining-related sites and features also occur—glory holes, ore-cart runouts, leaching vats, prospect pits, mining camps, mining supply stores, and dynamite storage bunkers (NPS 2010:24). Some of these mines, sites, and features are listed on the NRHP and on the monument's List of Classified Structures. The remains of a probable pre-twentieth-century *arrastra*—a primitive, burro-powered grinding mill for crushing ore—is located at Bates Well (NPS 2010:24).

European livestock species—cattle, sheep, goats, mules, and horses—first arrived in northern Sonora and southwestern Arizona as early as the 1540s, during the Coronado *entrada* (Fontana 1994:25-31; Lavender 1992:62). By the early 1700s cattle had become regionally commonplace, as a result of Jesuit Eusebio Kino's successful stock-raising efforts in the Sonoran village of Sonoyta, and following American annexation in 1848 cattle ranching became an established part of the southern Arizona economy (Greene 1977:56-57; Kessell 2002:125-135).

Throughout the second half of the 1800s various Tohono O'odham, Mexican, and American families grazed small numbers of cattle at various locations around ORPI, such as Quitobaquito Springs. Large-scale cattle ranching in the monument, however, did not commence until the 1910s, with the establishment of the Blankenship (a.k.a., Dos Lomitas) Ranch in the Sonoyta Valley, the Miller Ranch southwest of Walls Well, and the Daniels Ranch around Bates Well. The largest and most successful stock-raising operation at ORPI was that owned by Robert Louis Gray, Sr., who arrived in the area in 1920, buying out Donald Blankenship. Over the next six decades Gray and his sons expanded their herds and landholdings across the entire monument, continuing their ranching activities until the close of 1976 (Greene 1977:56-60). Components of several ranches (e.g., ranch houses, line camps, tack barns, bunkhouses, corrals, windmills) are inventoried on ORPI's List of Classified Structures and the NRHP, including those associated with Bates Well, Gachado Well Line Camp, and Dos Lomitas Ranch (NPS 1997:23-33, 2010:24; Rheaume 2008:5).

On April 13, 1937, Franklin D. Roosevelt signed Presidential Proclamation 2232 and officially established Organ Pipe Cactus National Monument, a 13,389 ha² (517 mi²) Sonoran Desert preserve to be managed by the NPS. While placing ORPI under federal ownership, the proclamation also acknowledged a variety of stipulations pertaining to established land use, including mining, ranching, and other long-practiced extractive activities. For example, local Tohono O'odham continued to harvest cactus fruit and graze cattle within the monument boundaries as they had for generations. Hia C'ed O'odham rancher Jose Juan Orosco continued grazing cattle around his 6 ha (15 ac) homestead at Quitobaquito until his death in 1945 (Greene 1977:65).

Various ranches existed in the area prior to establishment of the monument, most notably that of the Gray family, and this practice continued until 1976 (Martinez 1976), and mining interests operated sporadically within the monument through at least 1967 (Young 1967). Hunting and woodcutting were a perpetual problem for NPS managers, and the park's "first project" from November 1939 and March 1940 was the erection of 19 km (2 mi) of fencing and two cattle

guards along the monument's northern boundary. Additional fencing followed as funding allowed but was often damaged by heavy flooding and occasional cutting.

These practices would continue for decades as the NPS made the transition from prior ownership or use to good stewards of the monument resources, all the while trying to remain a good neighbor with surrounding communities.

IV. Previous Archaeological Research

To date, the NPS has not conducted a comprehensive archaeological survey of the 18.3 m-(60 ft-) wide Roosevelt Reservation comprising ORPI's 48.3 km- (30 mi-) long southern boundary. However, certain segments of the Reservation within the park have been surveyed as part of various ORPI survey projects conducted between 1951 and 2017. These include:

- Ezell 1951
- Teague 1977
- Rankin 1995
- Rankin, Antone, and Waters 1993
- Corey 2002
- Bradford et al. 2013
- Slaton et al. 2014
- Veech 2016
- Veech 2018a
- Veech 2018b
- Renaud 2018
- Ferguson et al. 2019

During 1951 Paul Ezell spent three months surveying portions of ORPI, as well as other nearby areas of southwestern Arizona and northern Sonora, Mexico. He recorded more than 100 archaeological sites, including habitation sites, rock shelters, camp sites, lithic quarries, and trails—ranging temporally from the early Archaic (10,500-6,800 B.P.) through the historic (post-A.D. 1700) periods (Ezell 1951).

In 1977 Lynn Teague of the Arizona State Museum surveyed 202 ha (500 ac) of the Quitobaquito Basin from the crest of the Quitobaquito Hills east to Aguajita Wash. Teague identified 9 precontact and historic-period loci across the survey area, which she recorded at 7 distinct archaeological sites (Teague 1977).

Between 1989 and 1991 Adrianne Rankin of the Western Archeological and Conservation Center, National Park Service (WAAC) directed the most thorough and extensive series of ORPI archaeological surveys, to date. Those surveys were undertaken for planning purposes (in compliance with section 110 of NHPA), with the aim of locating, identifying, and evaluating as many cultural resources across the monument as possible. A total of 3,106 ha (7,675 ac) was surveyed, and some 178 archaeological sites were recorded. Regarding water as the chief limiting factor in archaeological site location, Rankin and WACC focused the 1989-1991 ORPI surveys on areas nearby the monument's largest, seasonally-intermittent washes. The surveys examined areas adjacent to and or within 1 km (0.6 mi) of Alamo, Aguajita, Cherioni, Growler, Kuakatch, and San Cristobal washes. Additionally, they encompassed areas adjacent to various seasonal tinajas in the Bates Mountains (Rankin 1995:xxiv, 22). Rankin and fellow WACC archaeologists returned to ORPI in 1993, more thoroughly recording segments of pedestrian trails and wagon roads near Quitobaquito (Rankin, Antone, and Waters 1993a, 1993b).

Between June 2011 and November 2012, 14 distinct yet related archaeological surveys were conducted within the monument, in advance of proposed Undesignated Vehicle Route (UVR) restoration. Those surveys were initiated and principally conducted by ORPI archaeological technician James Collis, with subsequent follow-up fieldwork performed by ORPI permanent and term staffs (2012-present for UVRs and restoration efforts) and staff archaeologists of the Intermountain Region Archaeology Program (IMRAP). Cumulatively, those surveys covered 61 km (38 mi) of UVRs within the monument, an area totaling 149.1 ha (368.2 ac). As a result of these surveys, 6 iously unrecorded archaeological sites were documented, and 2 previously-recorded sites were revisited and reassessed. All 8 of those sites are recommended eligible for listing on the National Register of Historic Places (NRHP). Additionally, 9 isolated features were located, as were no fewer than 249 isolated occurrences (Bradford et. al. 2013).

Between November 27 and December 3, 2012, former ORPI cultural resources manager Connie Gibson surveyed 0.72 ha (1.77 ac) of the Dos Lomitas area. Gibson's survey focused on the (b) (3) (B) , which purportedly contained dense concentrations of precontact Native American petroglyphs and (b) (3) artifacts. Gibson identified and plotted 5 petroglyphs and more than 200 flaked lithic artifacts across her survey area, which she cumulatively recorded as archaeological site SON C:1:80 (ASM) (Slaton et al. 2014).

Between December 2014 and January 2016 archaeologists with the University of Arizona's School of Anthropology under the direction of T.J. Ferguson and Maren Hopkins conducted a series of linear surveys across ORPI aiming to identify and record precontact, protohistoric, and historic-period O'odham trail networks, particularly north-south-trending trail networks used during traditional salt pilgrimages to and from the Gulf of California. A total of 310 suspected trail and road traces were identified using air photo and image interpretation, with an aggregate length of 63 km (39 mi). Trail segments within 6 different travel corridors were field verified (Sites ORPI00289, ORPI00291, ORPI00293, ORPI00295, ORPI00297, and ORPI00299), including pedestrian trails and wagon roads. Most of the trail traces are located in 3 travel corridors that generally trend in a north-south direction: ORPI00295 (Old Ajo-to-Sonoita Corridor), ORPI00293 (Gunsight Corridor), and ORPI00291 (Bates Well to Quitobaquito Corridor). All 3 of those corridors contain wagon roads and pedestrian trails (Ferguson et al. 2019).

Between June 13 and September 15, 2016, IMRAP archaeologist Andrew Veech conducted archaeological surveys along 60 UVRs and across 34 UVR blocks in advance of UVR restoration efforts. Fifty-five of the surveyed UVRs and all 34 surveyed UVR blocks lie in Organ Pipe Cactus National Monument, while 5 of the surveyed UVRs are situated in Cabeza Prieta National Wildlife Refuge. Cultural resources were identified along or within 48 of the 94 surveyed UVRs and UVR blocks. The identified cultural resources include 212 isolated occurrences, 9 isolated features, and 2 precontact Native American archaeological sites. In total, 80.03 ha (197.77 ac) were surveyed. One additional isolated feature, an historic-period hearth outside of the designated survey areas, likewise was identified and recorded (Veech 2016).

Between January 24 and December 19, 2017, ORPI archaeological technicians Brendan Stewart and Jared Renaud conducted linear and block pedestrian surveys along 24 UVRs and across

UVR blocks in advance of UVR restoration efforts. These surveys cumulatively covered an area of 54.8 ha (135.3 ac) dispersed across the park, including portions of the Sonoyta Valley and Sonoyta Hills near the International Border. Stewart and Renaud identified and recorded a total of 7 archaeological sites during their 2017 surveys, 4 of which lie in close proximity to the International Border. Those 4 sites are ORPI 313, ORPI 330, ORPI 420, and ORPI 421 (Renaud 2018).

Between August 28 and September 7, 2017, IMRAP archaeologists Andrew Veech and George Prothro surveyed and reassessed 49.9 ha (123.4 ac) of the Dos Lomitas area of ORPI, at the request of ORPI managers. Over the course of this project the archaeologists identified, recorded, and mapped 6 precontact Native American archaeological sites and 1 isolated feature (Veech 2018a). Cumulatively, this 2017 project constitutes a comprehensive reevaluation of the Dos Lomitas archaeological landscape, one that more credibly correlates archaeological site boundaries with actual physiographic features. Likewise, the project furnishes ORPI managers with fine-grained information about artifact distribution across the Dos Lomitas area and up-to-date assessments of archaeological site conditions and threats, enhancing and building upon earlier work in the area by Ezell (1951) and Rankin (1995:551-574).

All of these surveys were pedestrian surveys; none entailed any subsurface testing for potentially buried archaeological deposits. It is probable that significant, presently-unrecorded surface-level and buried archaeological deposits persist across the project APE, and we must assume that all such unrecorded deposits will be destroyed over the course of ensuing border wall construction.

V. Previously Recorded Archaeological Resources (n=17) within the Roosevelt Reservation of ORPI

While none of the aforementioned ORPI archaeological studies comprehensively surveyed the 48.3 km- (30 mi-) long Roosevelt Reservation corridor bounding the southern edge of the park, each surveyed some portion of that corridor and, in doing so, identified and recorded 17 archaeological sites which likely will be wholly or partially destroyed by forthcoming border fence construction. Seven (7) of those 17 sites cluster around the (b) (3) (B) a prominent pair of (b) (3) (B) . Seven (7) others cluster around (b) (3) (B) and (b) (3) (B) , situated approximately (b) (3) (B Two (2) of the three (3) remaining sites-- SON B:33 and of Quitobaquito, while the third site-- SON C:1:79-- lies within the SON B:34-- lie The following tables (Tables 2-4) list those 17 sites, and more thorough descriptions of each resource are provided thereafter.

Table 2. Previously recorded ORPI archaeological sites (n=7) in the vicinity of Quitobaquito and Aguajita Wash.


ASM Number	CRIS ASMIS Number	Site Type	Associated Projects
SON B:4:2	ORPI 152/ ORPI 314	Possible camp site	Supernaugh and Leding, 1952
SON B:4:13	ORPI 196	Multi-component site with possible structure	Teague 1977
SON B:4:14	ORPI 218	Mikul Levy's store from the 1880s and 1890s	Teague 1977
SON B:4:9	ORPI 193	Multi-component artifact scatter	Teague 1977
SON B:4:5	ORPI 317	Possible shrine(s)	Supernaugh and Leding, 1952
SON B:4:8	ORPI 321	Possible vegetal processing site with hearths, manos, and metates	Supernaugh 1952; Renaud 2018b
	ORPI 298	precontact, protohistoric, and historic-period trail and wagon road segments	Ferguson et al. 2019


Table 3. Previously recorded ORPI archaeological sites (n=7) and local resource types (n=1) in the vicinity of the Dos Lomitas.

ASM Number	CRIS ASMIS Number	Site Type	Associated Projects
SON C:1:43	ORPI 100	precontact sherd and lithic scatter	Rankin 1995; Veech 2018a
SON C:1:36	ORPI 184	precontact sherd and lithic scatter	Rankin 1995; Bradford et al. 2013; Veech 2018a
	ORPI 330	precontact sherd and lithic scatter	Renaud 2018a
	ORPI 420	historic-period road trace	Renaud 2018a
	ORPI 421	precontact sherd and lithic scatter	Renaud 2018a
	ORPI 425	precontact lithic procurement and reduction site	Veech 2018b
	ORPI 299	precontact and protohistoric trail segments	Ferguson et al. 2019
SON C:1:37	ORPI 185	Small lithic and sherd scatter redesignated a LRT in 2017.	Rankin 1995; Veech 2018a

Table 4. Previously recorded archaeological sites elsewhere along the southern boundary of ORPI (n=3).

ASM Number	CRIS ASMIS Number	Site Type	Associated Projects
SON B:4:33	ORPI 204	remnants of dismantled 1947 ORPI boundary fence	Bradford et al. 2013
SON B:1:34	ORPI 275	precontact sherd and lithic scatter	Bradford et al. 2013
SON C:1:79	ORPI 274	precontact sherd and lithic scatter	Bradford et al. 2013





ORPI 00100 is a large (9.4 ha [23.2 ac]), precontact Native American sherd and lithic scatter extending across the broad plain immediately of the Dos Lomitas (Figures 4 and 5). An extensive, open-air site likely inhabited and used episodically by various nomadic groups over numerous centuries, ORPI 00100 is bounded by the dominant topographic features that frame this predominantly flat landscape—namely, the (b) (3) toe slope of the (b) (3) lomita (hill) on the north (roughly 565 m [1,854 ft] in length) and (b) (3) (B) In all likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward, terminating 0.3 km (0.2 mi) to the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward the south where the (b) (3) (B) In All likelihood, the site extends another 3.6 ha (9 ac) southward the south where the (b) (B) (B) (B

A total of 451 surface artifacts were identified and plotted across ORPI 00100, including 447 precontact Native American artifacts, 3 historic-period artifacts, and 1 piece of calcined bone of indeterminate age. The 447 precontact Native American artifacts include 296 flaked lithic artifacts, 8 ground stone artifacts, 139 ceramic sherds, and 4 marine shell fragments. The 3 historic-period artifacts consist of 1 iron horseshoe fragment, 1 iron strap fragment, and 1 fragment of purple manganese glass.

Two deeply gullied and actively eroding areas demarcate the presently-mapped southern boundary of the site north of the International Border fence: a 1.7 ha (4.2 ac) area to the southwest and a 0.8 ha (1.9 ac) area to the southeast. Both eroded areas were no doubt once parts of ORPI 00100, and their loss can be directly attributed to the International Border fence itself, which acts as an inadvertent dam, thwarting the natural, southerly flow of monsoon-generated floodwaters toward the Rio Sonoyta. Unfortunately, more of the site's southern periphery faces inevitable loss, as future floodwaters will extend the erosion (Veech 2018a:39-42).

SENSITIVE INFORMATION

Figure 6. Map of ORPI 00184 (by G. Prothro 2017).

100 Feet

ORPI 00184 is a 1.4 ha (3.5 ac) site consisting of 3 surface concentrations of precontact Native American artifacts, positioned (b) (3) (B) of a large, oblong berm adjacent to the north edge of (b) (3) (B) (Figures 4 and 6). The site lies roughly 75 m (246 ft) east of site ORPI 00100 on the east side of the north-to-south-trending (b) (3) (B) that defines the (b) (3) boundary of ORPI 00100. Site ORPI 00184 was previously recorded as site SON C:1:36 (ASM) by Rankin (1995:551-553), who identified a total of 275 artifacts clustered in 2 concentrations (a.k.a., Locus 1 and Locus 2) across a 0.94 ha (2.3 ac) area. Later, the site was revisited by Collis in 2011 and by Bradford and Veech in 2012 prior to a 2014 UVR restoration project (Bradford et al. 2013:82-85).

A total of 237 surface artifacts (all precontact Native American artifacts) were identified and plotted across ORPI 00184 during the most recent site reassessment in August-September 2017, including 148 flaked lithic artifacts, 3 ground stone artifacts, 75 ceramic sherds, 7 marine shell fragments, and 4 pieces of fire-cracked rock (Veech 2018a:43-46).

ORPI 00330




Figure 7. Map of ORPI 00330 (by J. Renaud 2018).

ORPI 00330 is a dispersed surface scatter of flaked stone, ground stone, and precontact ceramic sherds encompassing an area of 8,550 m² (92,031 ft²) (Figures 4 and 7). The site is situated on an open flat (b) (3) (B) of the Dos Lomitas, its southern boundary positioned (b) (3) (B) One artifact concentration was recorded within the

northwestern quadrant of the site, measuring approximately 13×19 m (43×62 ft). This concentration contains the greatest diversity of artifacts within the site, including a marine shell fragment. A least 5 different lithic material types, including obsidian, were noted across the site, as is 1 thermal feature, measuring 1 m² (11 ft²). The site may be semi-permanent camp, and it likely is affiliated with the Dos Lomitas site complex. Several large pottery sherds were noted eroding out of an arroyo flanking the site's western boundary. This is notable, as it suggests that the site contains intact subsurface cultural deposits (Renaud 2018:20).

ORP100420




Figure 8. Map of ORPI 00420 (by J. Renaud 2018).

ORPI 00420 is an historic road trace of approximately 4 km (2.5 mi) in length, extending in a (b) (3) (B) from the Blankenship/Dos Lomitas ranch house (Figures 4 and 8). The road skirts the (b) (3) (B) of the more (b) (3) (B) approximately (b) (3) (B) approximately (b) (3) (B) from its point of origin, before trending (b) (3) (B) to its point of intersection with and the International Border. While the precise age of the road trace is unclear, available maps indicate that it predates the 1960s. This road is presumed to be a component of the Blankenship/Dos Lomitas cultural landscape. Artifacts and features associated with this road include wooden fence posts, barbed wire, and a boulder dam of approximately 6.1 m (20 ft) in length and 1.2 m (4 ft) in height. Additional investigations of this road are recommended, in

order to better assess its context within the overall Blankenship/Dos Lomitas cultural landscape (Renaud 2018:24-25).

ORPI 00421




Figure 9. Map of ORPI 00421 (by J. Renaud 2018).

ORPI 00421 is a diffuse, dispersed precontact Native American lithic and ceramic sherd scatter encompassing an area of 9,960 m² (107,209 ft²) (Figures 4 and 9). This (5) (8) (8) scatter extends 83 m (272 ft) NNE/WSW and 120 m (394 ft) ENE/WSW, and its southern boundary lies less than (5) (8) (8) from the International Border. Ceramics within the site include red-on-buff wares and thick-walled, plain brown wares. One artifact concentration was identified and recorded near the eastern periphery of the site, measuring 23 × 7 m (75 × 23 ft), with an estimated density of 5 artifacts per 1 m² (10.8 ft²) (Renaud 2018:27).




Figure 10. Map of site ORPI 00425, demarcating overall site boundaries and four lithic concentrations (J. Renaud 2018).

ORPI 00425 is a large, diffuse, precontact Native American lithic scatter of indeterminate age that extends across the broad summit of a (b) (3) (B) cobbled ridge that rises perhaps (b) (3) (B) the surrounding flat terrain of the Sonoyta Valley (Figures 4 and 10). The lithic scatter measures roughly 840 m (2,635 ft) (SW-NE) × 252 m (827 ft) (WNW-ESE), encompassing an area of approximately 17.64 ha (43.6 ac). Four distinct lithic concentrations occur within the overall site boundary, referred to here as Concentrations 1 through 4. Traces of two old UVRs (a shorter, (b) (3) (B) one measuring 161 m [528 ft] in length and a longer, (b) (3) (B) one measuring 778 m [2.552 ft] in length) crosscut the site, but their impacts to site integrity appear to be minimal. The site is moderately vegetated with an understory of scattered creosote and bursage bushes, interspersed with occasional ocotillo, chain fruit cholla, palo verde trees, and small saguaros.

Concentration 1 is located in the southeastern quadrant of ORPI 00425, situated roughly 96 m (312 ft) north of (b) (3) (B) The concentration measures roughly 70 m (230 ft) (NW-SE) × 60 m (197 ft) (NE-SW), encompassing an area of 0.32 ha (0.78 ac). Of the 4 artifact concentrations comprising ORPI 00425, Concentration 1 is the only one (b) (3) (B) A total of 49 flaked lithic artifacts were identified within Concentration 1, including 3 cores, 44 flakes (primary, secondary, and tertiary), and 2 pieces of debitage. Twenty-one (21) of the lithic artifacts are composed of chert, 19 of basalt, 8 of volcanic igneous rock, and 1 of jasper.

Concentration 2 is situated roughly midway along the ridge, its southern edge lying approximately 34 m (112 ft) north of the northern periphery of Concentration 1. The concentration measures approximately 244 m (801 ft) (NNE-SSW) × 89 m (292 ft) (NW-SE), encompassing an area of 1.77 ha (4.38 ac). A total of 138 artifacts were identified within Concentration 2, 137 of which are flaked lithics and 1 of which is a vesicular basalt grinding slab. The flaked lithics include cores, flakes (primary, secondary, and tertiary), and debitage. Ninety-three (93) of the flaked lithic artifacts are composed of chert, 39 of basalt, and 8 of volcanic igneous rock.

Concentration 3, the largest of the 4 lithic concentrations contained within ORPI 00425, is dispersed across the northern third of the site, its southern periphery located some 27 m (89 ft) north of the northern periphery of Concentration 2. Concentration 3 measures approximately 315 m (1,033 ft) (SW-NE) × 151 m (495 ft) (NW-SE), encompassing an area of 4.2 ha (10.3 ac). A total of 214 artifacts were identified within Concentration 3, including 212 flaked lithics, 1 fire-cracked basalt cobble, and 1 marine shell fragment. The flaked lithics include 2 unifacial tools and 2 bifacial preforms, plus numerous cores, flakes (primary, secondary, and tertiary), and pieces of debitage. One hundred thirty nine (139) of the flaked lithic artifacts are composed of chert, 53 of basalt, 18 of volcanic igneous rock, and 2 of jasper.

Concentration 4 is situated at the southern terminus of ORPI 00425, just north of (b) (3) (B) Its eastern periphery lies just 13.7 m (45 ft) from the western periphery of Cluster 1, while its northern periphery lies some 41 m (135 ft) from the southern periphery of Cluster 2. Cluster 4 measures approximately 170 m (558 ft) (NE-SW) × 122 m (400 ft) (SE-NW), encompassing an area of 1.75 ha (4.32 ac). A total of 157 surface artifacts were identified within Concentration 4, 156 of which are undiagnostic precontact Native American flaked lithic artifacts and 1 of which is a nineteenth- or twentieth-century horseshoe. The flaked lithics include 1 bifacial preform,

plus an array of cores, flakes (primary, secondary, and tertiary), and pieces of debitage. One hundred and two (102) of the flaked lithics are composed of chert, 45 of basalt, and 9 of volcanic igneous rock (Veech 2018b:25-31).

Quitobaquito Area Sites

SON B:4:1 (ASM); SON B:4:9 (ASM); SON B:4:10 (ASM); SON B:4:11 (ASM); SON B:4:13 (ASM); SON B:4:14 (ASM): SON B:4:15 (ASM)




Figure 11. Archaeological sites identified in the Quitobaquito vicinity (by J. Renaud 2019).

Quitobaquito is a desert oasis with a perennial spring located less than 60 m (197 ft) from the International Border and some 19.3 km (12 mi) west of the Lukeville Port of Entry (Figure 11). For millennia Quitobaquito has been a crucial place for people to obtain water in an otherwise arid, austere landscape (Bell et al. 1980; Ferguson 2019; NPS 1996; Rankin 1995). Archaeological evidence of human presence at Quitobaquito extends back thousands of years, at least to Archaec times (10,500-1,700 B.P.). For centuries this desert oasis served as a vital stopping point for O'odham people traveling to the Gulf of California to acquire salt, and it continued to function as an important lay over spot well into the twentieth century (Ferguson et al. 2019). Initial archaeological survey of the Quitobaquito area by archaeologist Paul Ezell

(1951) resulted in the identification of SON B:4:1 (ASM). However, just a sketch map (Figure 12) and cursory field notes from Ezell's 1951 survey are known to survive, as well as various unprovenienced artifacts now at the WACC (Figure 13).




Figure 12. Paul Ezell's 1951 Sketch map of Quitobaquito (SON B:4:1), showing Hia C-ed O'odham structures and fields prior to NPS demolition (Arizona State Museum site files).



Figure 13. Unprovenienced artifacts collected by Paul Ezell from Quitobaquito (SON B:4:1) in 1951.

More recent and rigorous archaeological survey of the Quitobaquito Basin was conducted by Lynn Teague of the Arizona State Museum in 1977 (Teague 1977). During that survey Teague identified 9 precontact and historic-period loci within close proximity to the oasis which she subsequently recorded as 7 separate sites: SON B:4:9 through SON B:4:15 (ASM) (see Figure 10). Three of those sites—SON B:4:9; SON B:4:11; and SON B:4:13 (ASM)—are precontact Native American sites. The 4 others—SON B:4:10; SON B:12; SON B:4:14; and SON B:4:15 (ASM)—are associated with an historic-period Hia C-ed O'odham community which inhabited Quitobaquito from the 1860s through 1945 (Bell et al. 1980).

SON B:4:9 (ASM) (alternatively designated ORPI00193, as in Figure 11) is a multi-component, 47,000 m² (505,904 ft²) artifact scatter situated pond oasis that contains ceramic sherds, flaked and ground stone artifacts, and fire-cracked rock clusters (Figure 14). Lithics and features at SON B:4:9 (ASM) indicate use throughout the Archaic period (10,500-1,700 B.P.), while site ceramics denote use by Hohokam groups from circa 1,000 to 900 B.P. Additional artifacts and features illustrate later use of the site by historic-period Hia C-ed O'odham groups. While portions of SON B:4:9 (ASM) were destroyed by a NPS parking lot constructed in the 1960s, and the site nevertheless retains information about precontact and historic-period lifeways in the western Papagueria (Teague 1977:3-5).




Figure 14. Lynn Teague's 1977 site map of SON B:4:9 (Arizona State Museum site files).

SON B:4:11 (ASM) (alternatively designated ORPI00195, as in Figure 11), situated roughly of the Quitobaquito pond, is a diffuse artifact scatter which possibly constitutes an area of precontact plant gathering and processing. Precontact artifacts identified across the site include orange plainware ceramics, basalt and obsidian flakes, and *glycemeris* marine shell fragments. Lesser quantities of historic-period artifacts (including tin scraps and

porcelain sherds) occur across the site as well, but those likely represent episodic trash dumping from the nearby Hia C-ed O'odham settlement (Teague 1977:3-5).

SON B:4:13 (ASM) (alternatively designated ORPI00196, as in Figure 11), situated on a terrace of the Quitobaquito pond, is a multi-component site containing a circular depression which likely constitutes the remnants of a semi-subterranean Native American dwelling (Figure 15). As both precontact and historic-period artifacts occur across the site, this dwelling may have been built and occupied by either precontact Hohokam or later Hia C-ed O'odham. The depression may contain intact subsurface cultural deposits that could provide richer, more nuanced information about site occupants (Teague 1977:2-5).



Figure 15. Lynn Teague's 1977 site map of SON B:4:13 (Arizona State Museum site files).

The historic-period Hia C-ed O'odham village at Quitobaquito—comprised of SON B:4:10 (ORPI00194); SON B:12; SON B:4:14 (ORPI00218) [Figure 16]; and SON B:4:15—is significant for at least two reasons. First, it represents the northernmost extension of the Hia C-ed O'odham from their homeland in western Sonora, Mexico. Consequently, these sites constitute the only known Hia C-ed O'odham village site in the United States. Secondly, living members of various O'odham communities trace their lineages to Quitobaquito village residents and still consider the village site an important place (Bell et al. 1980; Ferguson et al. 2019; Teague 1977:3-12). These sites almost certainly retain important information about Hia C-ed O'odham land-use, subsistence, and lifeways from the mid-nineteenth through the mid-twentieth centuries.




Figure 16. Lynn Teague's 1977 site map of SON B:4:14 (Arizona State Museum site files).





Figure 17. Map of SON B:4:33 (by G. Prothro 2013).

boundaries are: double-strand barbed wire segments (n = 45), plain wire segments (n = 105), T-post wire clips (n \geq 463), and barbed wire spools (n = 35).

Fifty-four (54) precontact isolated occurrences lie scattered along the length of this 6,090 m (19,980 ft) fenceline, testifying to human activity in the area long prior to the NPS. These precontact artifacts include: 9 ceramic sherds, 3 lithic cores, 30 non-utilized lithic flakes, 5 utilized lithic flakes, 1 ground stone fragment, 1 projectile type (unknown type), 1 unifacial tool, and 4 marine shell fragments (Bradford et al. 2013:33-36).






Figure 18. Map of SON B:4:34 (by G. Prothro 2013).

son B:4:34 (ASM) is a small 0.2 ha (0.5 ac) surface artifact scatter situated approximately (b) (3) (B) of (b) (3) (B) and roughly (b) (3) (B) north of (b) (3) (B) (Figure 18). The site measures 30 m (94 ft) (N-S) × 75 m (246 ft) (E-W). Site artifacts include at least 32 non-utilized lithic flakes of obsidian (16), rhyolite (5), basalt (6), and chert (5). Other recorded site artifacts include 1 sand-tempered redware ceramic sherd, 1 marine shell fragment, and 1 basalt projectile point tentatively identified as an Elko Eared variant (ca. 2,500 – 500 BCE).

The artifacts within SON B:4:34 (ASM) occur within a small, bounded area and include distinct groupings among the non-utilized flakes of like materials. This suggests that some degree of integrity remains despite UVR damage across the northern half of the site. Given the occurrence of a Middle Archaic projectile point, obsidian flakes, probable Hohokam ceramics, and fragmentary marine shell, SON B:4:34 (ASM) has the potential to yield information about the both the sequential occupation of the Western Papaguería and regional precontact trade patterns (Bradford et al. 2013:37-38).

SON C:1:79 (ASM)




Figure 19. Map of SON C:1:79 (by G. Prothro 2013).

SON C:1:79 (ASM) is a precontact artifact scatter measuring 4.2 ha (10.4 ac) located just of the (b) (3) (B) (Figure 19). The site has suffered significantly from unauthorized vehicular traffic, and some of the western portion of the site has been impacted by erosion. Nevertheless, the site retains integrity, as evidenced by three intact artifact clusters recorded within its boundaries—two within the northern half and one within the southern half.

Archaeological technician James Collis mapped 105 artifacts within these clusters, including 3 utilized stone flakes, 14 non-utilized stone flakes, 5 cores, 3 ground stone tools, 1 marine shell fragment, and 79 ceramic sherds, including three red-on-brown decorated sherds. The site is situated less than (b) (3) (B) of the Sonoyta River. Based on the site's location and on the density and variety of site artifacts (with a preponderance of ceramics), SON C:1:79 (ASM) may be a habitation site and one possibly associated with the Dos Lomitas village complex identified by Rankin (1995:115) (b) (3) (B) to the (b) As such, the site has the potential to yield information about precontact regional occupation, utilization, and trade patterns through time (Bradford et al. 2013:41-42).

O'odham Trails and Roads Across ORPI (ORPI 00298 and 00299)




Figure 20. Map of precontact, protohistoric, and historic-period O'odham trail corridors crossing ORPI (from Ferguson et al. 2019:88).

ORPI 00298

ORPI 00298 is comprised of pedestrian trails and wagon roads associated with the Quitobaquito oasis and its perennial springs (Figures 20 and 21). These trails and roads extend in all directions from Quitobaquito. Building off previous archaeological surveys around Quitobaquito conducted by Rankin (1995) and Rankin, Antone, and Waters (1993a, 1993b), Ferguson and Hopkins identified 29 pedestrian trail segments and one wagon road segment in the vicinity of

Ouitobaquito, totaling 2.95 km (1.83 mi) of trails and roads (Ferguson et al. 2019:183-188).

Figure 21. Map of ORPI 00298, a series of precontact, protohistoric, and historic-period O'odham trails and roads around Quitobaquito (from Ferguson et al. 2019:187).

Based on their field observations, Ferguson and Hopkins conclude that the Quitobaquito cultural landscape maintains integrity, and that Quitobaquito continues to play a critical role in the social, economic, and ritual lives of present-day O'odham groups. They subsequently recommend that the Quitobaquito travel node (i.e., ORPI 00298) be considered eligible for NRHP listing under Criteria A and D (Ferguson et al. 2019:188).

ORPI 00299

ORPI 00299 is comprised of a series of pedestrian trails located on a small and narrow ridge in the (b) (3) (B) (b) (3) (B) (Figures 20 and 22).




Figure 22. Map of ORPI 00299, a series of precontact, protohistoric, and historic-period O'odham trails near Blankenship Ranch (from Ferguson et al. 2019:194).

Ferguson and Hopkins recorded 12 segments of ORPI 00299 for a total length of 819 m (2,687 ft), with segments ranging between 8 m (26.2 ft) and 188 m (617 ft) in length. These trail segments, ranging between 40 cm (15.7 in) and 43 cm (16.9 in) in width, trend northeast-southwest and appear to represent a single pedestrian trail. Numerous flaked stone artifacts occur alongside the trail segments including basalt, chert, and chalcedony debitage and a basalt core. Based on these associated artifacts, Ferguson and Hopkins interpret these pedestrian trail segments as either precontact or protohistoric (Ferguson et al. 2019:193-197).

VI. Survey Methodology

The scope and objectives of the June 2019 ORPI Roosevelt Reservation archaeological survey were established in advance of actual fieldwork through a series of emails and telephone conference calls involving IMRAP archaeologists, SOAR archaeologists, and ORPI managers. Collectively, these parties agreed that the aim of the June 2019 field project ought to be baseline Section 110 inventory, covering portions of ORPI's southern boundary not rigorously examined during previous ORPI archaeological survey projects. The assembled field team, it was decided, would systematically survey as many of the previously unsurveyed stretches of the park's southern boundary as was possible over five days of fieldwork, with the ultimate goal (not achieved by the project's end) being 100 percent archaeological inventory of the entire ORPI Roosevelt Reservation.

With these project goals in mind, archaeologist Iraida Rodriguez subsequently examined all available ORPI geospatial data files and precisely plotted which stretches of the park's southern boundary still required systematic archaeological survey (see Appendix A). Survey team members then downloaded Rodriguez's project maps onto their smartphones and tablets using the Avenza Maps mobile app (https://www.avenza.com) and thereafter employed Avenza to guide them to various areas of the park boundary requiring baseline archaeological inventory.

The June 2019 ORPI Roosevelt Reservation survey was solely a pedestrian survey. No subsurface testing was conducted, nor were any geophysical instruments employed. Nevertheless, in an effort to make the survey as rigorous and comprehensive as possible, the five participating archaeologists walked parallel, east-west transects spaced at 5 m (16.4 ft) intervals, covering a cumulative north-south distance of 25 m (82 ft). All survey transects were oriented parallel with the U.S.-Mexico International Border, with the southernmost 5 m- (16.4 ft-) transect positioned along the northern edge of the park's Fenceline Road (Figure 23).



Figure 23. Project archaeologists preparing to walk an east-west survey transect, spaced at 5 m (16.4 ft) intervals, view to the northwest (photo by A. Veech).

Whenever the archaeologists encountered surface artifacts or features, they marked those artifacts and features with pin flags for subsequent recording. Areas with clusters of pin flags were speculated to be activity areas or sites, and across those areas the archaeologists broke from their regimented survey transects in an effort to identify all surface artifacts in the vicinity (Figure 24).



Figure 24. Project archaeologists pin flagging ORPI 2019 B, Site 3 in advance of recording, view to the north (photo by A. Veech).

The archaeologists used the Avenza Maps mobile app, a Trimble Geo 7X unit, and compasses for navigational purposes. Likewise, they employed a Trimble Geo 7X unit to record all findings and geospatially plot those findings with sub-meter accuracy (Figure 25). Additionally, they used a Nikon Coolpix W300 digital camera to photograph all findings.



Figure 25. Jake DeGayner recording data on a Trimble unit within ORPI Roosevelt Reservation (photo by A. Veech).

Following these methodological protocols, the archaeologists surveyed some 18.2 km (11.3 mi) of the ORPI Roosevelt Reservation (see Appendix B), totaling identified and recorded 35 isolated occurrences, 20 isolated features, and 5 archaeological sites (Figure 26) over the course of their 5-day survey, which ran from June 24–28, 2019. The 35 isolated occurrences and 20 isolated features are summarized at the end of this report (see Appendices C-F). The following section describes the 5 archaeological sites.



Figure 26. Locations of 5 archaeological sites along the southern boundary of ORPI identified and recorded during June 2019 survey (Google Earth map, modified by A. Veech).

VII. Description of Newly Recorded ORPI Roosevelt Reservation Archaeological Sites

ORPI 2019 B, Site 1

ORPI 2019 B, Site 1 is a precontact Native American surface artifact scatter measuring 0.19 ha (0.47 ac) in size that is located approximately 2.93 km (1.82 mi) of the Lukeville Port of Entry, (b) (3) (B) of the (b) (3) (B) of the park, and (b) (3) (B) of the (Figures 27-29, see Figure 26). The site extends roughly 85 m (279 ft) $(N-S) \times 38 \text{ m}$ (125 ft) (E-W) across the broad alluvial flats of the Sonoyta Valley. Site vegetation consists predominately of creosote, bursage, and saltbrush. A northeast-southwesttrending drainage lies approximately (b) (3) (B) west of the site, while another (b) (3) (E lies roughly (b) (3) (B) east of the site. The Sonoyta River lies roughly (b) (3) (B) to the




Figure 27. Map of ORPI 2019 B, Site 1 (by J. Renaud 2019).



Figure 28. ORPI 2019 B, Site 1, view to the north (photo by A. Veech).



Figure 29. ORPI 2019 B, Site 1, view to the south (photo by A. Veech).

A total of 116 artifacts were identified across ORPI 2019 B, Site 1, including 55 non-utilized flaked stone artifacts, 2 ground stone fragments, 1 hammerstone, 2 pieces of fire-cracked rock, 51 plain, undecorated ceramic sherds, and 5 marine shell fragments (see Tables 5-7). Lithic material types within the site assemblage include volcanic igneous rock, chert, chalcedony, basalt, and obsidian. None of the site lithic artifacts, however, are diagnostic. Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE) (see pp. 9 of report).

Table 5. Inventory of non-utilized flaked stone artifacts (n=55), ORPI 2019 B, Site 1.

	Tested Cobble	Core	Primary Flake	Secondary Flake	Tertiary Flake	Debitage	Total
Material Type							
Volcanic Igneous Rock		6	4	6		1	17
Chert				1		1	2
Chalcedony		2	1	8	5	6	22
Basalt				1	1	1	3
Obsidian		1		5	1	5	11
Total		8	5	21	7	14	55

Table 6. Inventory of other lithic artifacts (n=5), ORPI 2019 B, Site 1.

	Ground Stone	Hammerstone	Fire-Cracked Rock	Total
Material Type				
Volcanic Igneous				
Rock	1	1	2	4
Vesicular Basalt	1			1
Total	2	1	2	5

Table 7. Inventory of ceramics and marine shell (n=56), ORPI 2019 B, Site 1 (by S. Hart).

	Body Sherd	Rim Sherd	Fragment	Total
Brownware	45	1		46
Redware	5			5
Marine Shell			5	5
Total	50	1	5	56

A tight clustering of flaked obsidian artifacts (n=11) located within the northeastern quadrant of the site (see Figure 27)—an area of no more than 2 m (6.6 ft) in diameter—likely constitutes a knapping station, the locus of a discrete episode of lithic reduction. Together with the 5 marine shell fragments, these obsidian artifacts denote the southwest-to-northeast transport of exotic raw materials from and the Gulf of California and Pinacate Peaks of Sonora, Mexico into southwestern Arizona.

Given its proximity to the Sonoyta River and the density and variety of its artifacts, ORPI 2019 B, Site 1 likely is an encampment that was occupied either over a single, extended period of time or over multiple, episodic ones. It may be associated and contemporaneous with the dense concentration of seasonal occupation sites located roughly (b) (3) (B) further east around (b) (3) (B) . Thus, the site holds potential for yielding information about precontact regional occupation, utilization, and trade patterns through time.

ORPI 2019 B, Site 2

ORPI 2019 B, Site 2 is a small, but moderately dense, precontact Native American surface artifact scatter measuring 0.02 ha (0.05 ac) in size. The site is located approximately (b) (3) (B) of the (b) (3) (B) and (b) (3) (B) of the park (Figures 30-32, see Figure 26), and it ranges roughly 28 m (92 ft) (SW-NE) × 17 m (56 ft) (NW-SE) across the broad alluvial flats of the Sonoyta Valley, some (b) (3) (B) west of the (b) (3) (B) of the Sierra de Santa Rosa mountain range. Site vegetation consists predominately of creosote, bursage, and salt brush. A(b) (3) (B) east of the site, while the Sonoyta River lies roughly (b) (3) (B) to the (b) (3) (B)




Figure 30. Map of ORPI 2019 B, Site 2 (by J. Renaud 2019).



Figure 31. ORPI 2019 B, Site 2, view to the north (photo by A. Veech).



Figure 32. ORPI 2019 B, Site 2, view to the south (photo by A. Veech).

A total of 56 artifacts were identified across ORPI 2019 B, Site 2, including 31 non-utilized flaked stone artifacts, 3 utilized secondary flakes, and 22 plain, undecorated ceramic sherds (see Tables 8-10 and Appendix H, Figures 1-2). Lithic material types within the site assemblage include volcanic igneous rock, chert, chalcedony, and basalt. None of the site lithic artifacts are diagnostic. Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE) (see pp. 9 of report).

Table 8. Inventory of non-utilized flaked stone artifacts (n=31), ORPI 2019 B, Site 2 (by I. Rodriguez).

	Tested Cobble	Core	Primary Flake	Secondary Flake	Tertiary Flake	Debitage	Total
Material Type							
Volcanic Igneous Rock			1				1
Chert			1	1		5	6
Chalcedony			4	3	1	4	12
Basalt			7	1	3	1	12
Total			12	5	4	10	31

Table 9. Inventory of utilized flaked stone artifacts (n=3), ORPI 2019 B, Site 2 (by I. Rodriguez).

Artifact		Material				
Number	Artifact Type	Type	Dimensions	Usewear	Comments	Total
	Utilized			microflaking on lateral		
1	secondary flake	basalt	40×15×3 cm	edge and edge rounding		
	Utilized			microflaking on lateral	retouch on	
2	secondary flake	chalcedony		edge and edge rounding	lateral edge	
	Utilized	volcanic		microflaking on lateral	retouch on	
3	secondary flake	igneous rock	50×30×10 cm	edge and polish	lateral edge	
						3

Table 10. Inventory of ceramics (n=22), ORPI 2019 B, Site 2 (by S. Hart).

	Body Sherd	Rim Sherd	Total
Material Type			
Brownware	20		
Redware	2		
Total	22		22

Given its compact size, ORPI 2019 B, Site 2 may constitute the remnants of a brief encampment, perhaps of no more than a single night in duration. It may be associated and contemporaneous with the dense concentration of seasonal occupation sites located roughly 6 km (3.7 mi) further west around southern toe slopes of the Dos Lomitas.

ORPI 2019 B, Site 3

ORPI 2019 B, Site 3 is a low-density, precontact Native American surface lithic scatter measuring 0.13 ha (0.31 ac) in size that is located approximately (b) (3) (B) west of the (b) (3) (B) of the park, and (b) west of ORPI 2019 B, Site 2 (Figures 33-35, see Figure 26). The site extends roughly 70 m (230 ft) (SSW-NNE) × 50 m (164 ft) (WNW-ESE) across the broad alluvial flats of the Sonoyta Valley, and its (b) (3) (B) than (b) (3) (B) north of (b) (3) (B) within the Roosevelt Reservation. Site vegetation consists mostly of an understory of creosote bushes, punctuated by several chain fruit cholla. A (b) (3) (B) -trending drainage lies approximately (b) (3) (B) west of the site, while another trending drainage lies roughly (b) (3) (B) east of the site. The Sonoyta River lies roughly to the south-southwest.




Figure 33. Map of ORPI 2019 B, Site 3 (by J. Renaud 2019).



Figure 34. ORPI 2019 B, Site 3, view to the north (photo by A. Veech).



Figure 35. ORPI 2019 B, Site 3, view to the south (photo by A. Veech).

A total of 32 lithic artifacts were identified across ORPI 2019 B, Site 3, including 27 non-utilized flaked stone artifacts, 3 utilized flakes, 1 uniface, and 1 bifacial preform (see Tables 11-12 and Appendix H, Figures 3-5). Lithic material types within the site assemblage include rhyolite, volcanic igneous rock, chert, chalcedony, and basalt. None of the site lithic artifacts are diagnostic.

A small cobble cluster of only a single course in height and of indeterminate function also occurs within the site boundaries (Figure 36). This cluster measures approximately 65 cm (25.6 in) (N-S) \times 46 cm (18.1 in) (E-W) \times 9 cm (3.5 in) (height). At least 15 volcanic igneous rock and vesicular basalt cobbles comprise the cluster, ranging in size between 27 \times 20 \times 9 cm (10.6 \times 7.9 \times 3.5 in) and 7 \times 6 \times 4 cm (2.8 \times 2.4 \times 1.6 in).

Table 11. Inventory of non-utilized flaked stone artifacts (n=27), ORPI 2019 B, Site 3 (by I. Rodriguez).

-	Tested Cobble	Core	Primary Flake	Secondary Flake	Tertiary Flake	Debitage	Total
Material Type							
Rhyolite		1	1		11		2
Chert			5	5	1	1	12
Chalcedony			4		4	5	13
Total		1	10	5	5	6	27

Table 12. Inventory of utilized flaked stone artifacts (n=5), ORPI 2019 B, Site 3 (by I. Rodriguez).

Artifact Number	Artifact Type	Material Type	Usewear	Dimensions (mm)	Comments	Total
1	Bi-directional edge	volcanic igneous rock	11	60×50×10		
2	Utilized flake	rhyolite		30×30×17	1 7	
3	Utilized secondary flake	basalt	edge rounding and microflaking on lateral margin	47×24×17	early stage	
4	Uniface	chert	H 2	46×47×18		
5	Bifacial preform	volcanic igneous rock		90×86×15	3 flake scars	
		T 22 T 2 May 1		58 5 6 5 7		5



Figure 36. Cobble cluster within ORPI 2019 B, Site 3, view to the north (photo by A. Veech).

ORPI 2019 B, Site 3 may be the remnants of a short-term encampment, perhaps one used and occupied at some point during the Archaic period (8,500 BCE – 300 CE) (see pp. 7 of report). However, this interpretation is purely speculative, based on the absence any ceramic artifacts.

ORPI 2019 B, Site 4 is (as presently recorded) a small precontact Native American (6) (3) artifact scatter measuring 0.02 ha (0.05 ac) in size, located approximately (b) (3) of the (b) (3) (B) east of the (b) (3) (B) of the park, and (Figures 37-39, see Figure 26). The site lies against the east of (b) (3) (B) of a low-lying, (b) (8) (B)-trending hill within the La Abra Plain, and it extends roughly 23 m (75.5 ft) (N-S) \times 16 m (52.5 ft) (E-W). Its southern edge lies (b) (3) (B) north of (b) (3) (B) within the Roosevelt Reservation. Site vegetation consists predominately of bursage and saltbrush, interspersed with occasional chain fruit cholla and saguaro. A small (b) (3) (B) -trending drainage lies approximately (b) (3) (B) to the west. The Sonoyta River lies roughly the site, and another one lies roughly (b) (3) (B) to the southwest, and Quitobaquito lies (b) (3) (B) to the east.




Figure 37. Map of ORPI 2019 B, Site 4 (by J. Renaud 2019).



Figure 38. ORPI 2019 B, Site 4, view to the north (photo by A. Veech).



Figure 39. ORPI 2019 B, Site 4, view to the north (photo by A. Veech).

While the artifacts contained within the currently demarcated boundaries of ORPI 2019 B, Site 4 are small in number (n=9), they nonetheless are diverse in variety and material type. The site assemblage includes 3 non-utilized flaked stone artifacts (2 chert, 1 rhyolite), 1 retouched obsidian flake, 1 non-diagnostic chert uniface, 2 brownware ceramic sherds, and 2 marine shell fragments (see Tables 13-15 and Appendix H, Figures 6-8). Other obsidian, marine shell, and ceramic artifacts noted (but not recorded) slightly north and upslope of the site's currently demarcated boundaries—outside the parameters of the June 2019 Roosevelt Reservation survey—imply that ORPI 2019 B, Site 4 is actually far larger in both size and complexity, warranting more rigorous examination and recording at some point in the future.

Table 13. Inventory of non-utilized flaked stone artifacts (n=3), ORPI 2019 B, Site 4 (by J. Renaud).

	Tested Cobble	Core	Primary Flake	Secondary Flake	Tertiary Flake	Debitage	Total
Material Type		1000			1000		
Chert					1	1	2
Rhyolite			1				1
Total			1		1	1	3

Table 14. Inventory of utilized flaked stone artifacts (n=2), ORPI 2019 B, Site 4 (by J. Renaud).

Artifact Number	Artifact Type	Material Type	Total
1	Retouched primary flake	obsidian	
2	Uniface	volcanic igneous rock	
			2

Table 15. Inventory of ceramics and marine shell (n=4), ORPI 2019 B, Site 4 (by J. Renaud).

	Body Sherd	Rim Sherd	Fragment	Total
Brownware	2			2
Redware				
Marine Shell			2	2
Total	2		1	4

Given its proximity to Aguajita Wash, Quitobaquito, and the Sonoyta River, it is quite conceivable that ORPI 2019 B, Site 4 is a campsite associated with the Salt Trail Corridor leading to the Gulf of California, perhaps one of either extended duration or episodic, short-term use. Its exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Thus, the site holds potential for yielding information about precontact regional occupation, utilization, and trade patterns through time.

ORPI 2019 B, Site 5

ORPI 2019 B, Site 5 is a multicomponent surface artifact scatter that encompasses an area of 0.15 ha (0.37 ac) and is located approximately (b) (3) (B) of the of the park (b) (3) (B) west of the (b) (3) (B) west of ORPI west of the (b) (3) (B) 2019 B, Site 3, and (b) (3) (B) road (Figures 40-42, see Figure 26). Situated within the Sonoyta Valley, the site measures roughly 75 m (246.1 ft) $(NW-SE) \times 35 \text{ m}$ (114.8 ft) (NE-SW) and is dispersed across the s(b) (3) (B) lying, (b) (3) (B) which is (b) (3) (B) drainages. Site vegetation includes bursage, grasses, a few mesquite trees, and several small saguaro. A fairly large, northeast-southwest-trending drainage lies approximately (6) (8) the site, and another lies roughly (b) (3) (B) east of the site. The Sonoyta River is situated roughly (b) (3) (B) to the south-southwest.




Figure 40. Map of ORPI 2019 B, Site 5 (by J. Renaud 2019).



Figure 41. ORPI 2019 B, Site 5, view to the north (photo by A. Veech).



Figure 42. ORPI 2019 B, Site 5, view to the south (photo by A. Veech).

A total of 71 artifacts were identified across ORPI 2019 B, Site 5, all but one of which are non-diagnostic, precontact Native American lithic artifacts. Of the 70 identified lithic artifacts, some 66 are non-utilized flaked stone items, including 2 tested cobbles, 2 cores, 31 primary flakes, 24 secondary flakes, 3 tertiary flakes, and 4 pieces of debitage. Lithic material types represented within this assemblage include volcanic igneous rock, chert, chalcedony, and basalt (see Table 16). The 4 additional lithic artifacts within the site exhibit modification and probable use, and these include 1 retouched basalt primary flake, 1 utilized chert flake, 1 volcanic igneous rock uniface, and 1 volcanic igneous rock bifacial preform (see Table 17 and Appendix H, Figure 10).

Table 16. Inventory of non-utilized flaked stone artifacts (n=66), ORPI 2019 B, Site 5 (by I. Rodriguez).

The state of the s	Tested Cobble	Core	Primary Flake	Secondary Flake	Tertiary Flake	Debitage	Total
Material Type							
Chalcedony		1	16	9	2		28
Volcanic Igneous Rock			2			1	3
Basalt			2	1		1	4
Chert	2	1	11	14	1	2	31
Total	2	2	31	24	3	4	66

Table 17. Inventory of utilized flaked stone artifacts (n=2), ORPI 2019 B,

Site 5 (by I. Rodriguez).

Artifact Number	Artifact Type	Material Type	Total
1	Retouched primary flake	basalt	
2	Utilized flake	chert	
3	Uniface	volcanic igneous rock	
4	Bifacial preform	volcanic igneous rock	
	_		4

The sole historic-period artifact identified within ORPI 2019 B, Site 5, situated within the site's southeast quadrant (see Figure 40), is a brass, .45-70 caliber rifle shell cartridge, measuring approximately 4 cm (1.57 in) in length and 1 cm (0.39 in) in diameter (see Appendix H, Figure 9). The base of this centerfire rifle cartridge shell is stamped with the abbreviation "WMC Govt," indicating that it was manufactured by the Winchester Munitions Company for the U.S. military (Jake DeGayner, personal communication 2019). The .45-70 rifle cartridge was adopted by the U.S. Army in 1873 as the service cartridge for its trap-door Springfield rifle. The Army continued to use the .45-70 cartridge until 1892, when it was replaced by the .30-40 caliber Krag cartridge (Van Zwoll 2009).

With the exception of the previously described .45-70 caliber rifle shell cartridge, it seems reasonable to classify ORPI 2019 B, Site 5 as a precontact Native American lithic procurement and processing site of indeterminate age. The site plausibly was used episodically by various individuals or groups, perhaps over a considerable period of time. Similar sites have been previously recorded elsewhere east of the Dos Lomitas, including ORPI 00425 (see pp. 26-28 of report).

VIII. Management Recommendations

Based on the information provided in Section VII of this report, recommendations for eligibility for listing on the NRHP are provided below, followed by recommendations for additional baseline Section 110 inventory work along ORPI's southern boundary.

Of the five (5) newly identified sites recorded during the June 2019 pedestrian survey along the southern boundary of ORPI, two presently are recommended as *eligible for listing in the NRHP*:

- ORPI 2019 B, Site 1 under Criterion D, as it possesses both integrity and the ability to yield important information about precontact occupation and utilization of the western Papaguería through time and about precontact trade patterns between the Gulf of California and the Gila Basin.
- ORPI 2019 B, Site 4 under Criterion D, as it also possesses both integrity and the ability to yield important information about precontact occupation and utilization of the western Papaguería through time and about precontact trade patterns between the Gulf of California and the Gila Basin.

As for the three (3) additional sites identified and recorded during the June 2019 survey (i.e., ORPI 2019 B, Sites 2, 3, and 5), additional, on-site, evaluation is required before a sound recommendation of NRHP eligibility can be proffered.

Finally, it is recommended that baseline Section 110 inventory of all presently unsurveyed (or under-surveyed) sections of ORPI's southern boundary be completed as soon as is possible, in light of impending border fence construction along the park's entire 48.3 km- (30 mi-) long southern boundary, entailing ground disturbance across the whole, 18.3 m- (60 ft-) wide Roosevelt Reservation. Without question, the roughly 2.75 km- (1.7 mi-) long section of the park's southern boundary extending west from Hocker Well warrants such systematic, baseline survey, as may other sections of the park's southern boundary, which have yet to be precisely determined. Such Section 110 inventory work can be readily accomplished by IMRAP archaeologists, SOAR archaeologists, and ORPI resources staff, in identical fashion to this present survey project.

References Cited

Adovasio, J.M., J. Donahue, and R. Stuckenrath

1990 The Meadowcroft Rockshelter Radiocarbon Chronology, 1975-1990. *American Antiquity* 55(2):348-354.

Anderson, David G., and J.C. Gillam

2000 Paleoindian Colonization of the Americas: Implications from an Examination of Physiography, Demography, and Artifact Distribution. *American Antiquity* 65(1):43-66.

Andrefsky, Jr., William

1994 Raw-Material Availability and the Organization of Technology. *American Antiquity* 59(1):21-34.

Arizona State Museum (ASM)

1995 Archaeological State Recording Manual. Arizona State Museum, the University of Arizona, Tucson.

Bassett, Everett

1994 "We Took Care of Each Other Like Families Were Meant To": Gender, Social Organization, and Wage Labor Among the Apache at Roosevelt. In *Those of Little Note: Gender, Race, and Class in Historical Archaeology*, edited by Elizabeth M. Scott, pp. 55-79. The University of Arizona Press, Tucson.

Bezy, John V., James T. Gutman, and Gordon B. Haxel

2000 A Guide to the Geology of Organ Pipe Cactus National Monument and the Pinacate Biosphere Reserve. Arizona Geological Survey Down-to-Earth, Volume 9. Arizona Geological Survey, Tucson.

Blitz, John H.

1988 Adoption of the Bow in Prehistoric North America. *North American Archaeologist* 9:123-145.

Bradford, James E., Andrew S. Veech, and James C. Collis

2013 An Archeological Inventory of 14 Impacted Areas Selected for Rehabilitation/ Revegetation, Organ Pipe Cactus National Monument, Pima County, Arizona. Cultural Resources Report No. ORPI 2011GG. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona. Brantingham, P. Jeffrey, John W. Olsen, Jason A. Rech, and Andrei I. Krivoshapkin 2000 Raw Material Quality and Prepared Core technologies in Northeast China. *Journal of Archaeological Science* 27(3):255-271.

Brown, Bryan T., Lupe P. Henrickson, R. Roy Johnson, and William Werrell
1983 An Inventory of Surface Water Resources at Organ Pipe Cactus National Monument,
Arizona, Technical Report No. 10. Cooperative National Park Resources Studies Unit,
University of Arizona. Tucson, Arizona.

Chamberlin, Earl

1972 Soil Survey: Organ Pipe Cactus National Monument, Pima County, Arizona. A Special Report. Phoenix: USDA, Soil Conservation Service.

Corey, Christopher

2002 Trip Report, Organ Pipe Cactus National Monument, Pima County, Arizona. November 26, 2002 (WACC Project Number ORPI 2002 D). Report on file at Western Archeological and Conservation Center, Tucson.

Crown, Patricia L.

1991 The Hohokam: Current Views of Prehistory and the Regional System. In *Chaco & Hohokam: Prehistoric Regional Systems in the American Southwest*, edited by Patricia L. Crown and W. James Judge, pp. 135-158. Santa Fe: School of American Research Press.

Crown, Patricia L. and W.H. Wills

1995 The Origins of Southwestern Ceramic Containers: Women's Time Allocation and Economic Intensification. *Journal of Anthropological Research* 51(2):173-186. University of New Mexico, Albuquerque, New Mexico.

Dean, Jeffrey

1991 Thoughts on Hohokam Chronology. In *Exploring the Hohokam: Prehistoric Desert Peoples of the American Southwest*, edited by George J. Gumerman, pp. 61-149. Albuquerque: University of New Mexico Press.

Dillehay, Tom D., and Michael B. Collins

1988 Early Cultural evidence from Monte Verde in Chile. *Nature* 332:150-152.

Eerkens, Jelmer W., Hector Neff, and Michael D. Glascock

2002 Ceramic Production Among Small-Scale and Mobile Hunters and Gatherers: A Case Study from the Southwestern Great Basin. *Journal of Anthropological Archaeology* 21:200-229.

Emerson, Thomas E., Dale L. McElrath, and Andrew C. Fortier (eds.) 2009 *Archaic Societies: Diversity and Complexity Across the Midcontinent*. Albany, NY: State University of New York Press.

Ezell, Paul H.

1951 Survey notes on Organ Pipe Cactus National Monument. On file at Western Archeological and Conservation Center, National Park Service. Tucson.

Feathers, James K., Edward J. Rhodes, Sébastien Huot, and J.M. McAvoy 2006 Luminescence Dating of Sand Deposits Related to Late Pleistocene Human Occupation at the Cactus Hill Site, Virginia, USA. *Quaternary Geochronology* 1(3):167-187.

Felger, Richard Stephen, Susan Rutman, Michael F. Wilson, and Kathryn Mauz 2007 Botanical Diversity of Southwestern Arizona and Northern Sonora. In *Dry Borders:*Great Natural Reserves of the Sonoran Desert, edited by Richard Stephen Felger and Bill Broyles, pp. 202-271. Salt Lake City: The University of Utah Press.

Ferguson, T.J., Maren P. Hopkins, Michael C. Spears, and Sharlot Hart 2019 O'odham Trails and Roads on Organ Pipe Cactus National Monument. NPS Cultural Resources Reports ORPI 2014N, ORPI 2014N.1, ORPI 2014N.2. Cooperative Agreements P14AC001054 and P18AC00285. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.

Fish, Suzanne K., Paul R. Fish, and Gary Christopherson 2007 Early Occupations on Tumamoc Hill. *Archaeology Southwest* 21(3):4-5.

Fish, Suzanne K., and Paul R. Fish

2007 Regional Heartlands and Regional Trends. In *Trincheras Sites in Time, Space, and Society*, edited by Suzanne K. Fish, Paul R. Fish, and M. Elisa Villalpando, pp. 165-194. The University of Arizona Press, Tucson.

Fontana, Bernard L.

1965 An Archeological Survey of the Cabeza Prieta Game Range, Arizona. Manuscript on file at the Western Archeological and Conservation Center, National Park Service, Tucson.
1994 Entrada: The Legacy of Spain & Mexico in the United States. Tucson: Southwest Parks and Monuments Association.

Gladwin, Winifred and Harold S. Gladwin

1929 *Red-on-Buff Culture of the Papagueria*. The Medallion Papers, Gila Pueblo. Arizona State Library digitized copy available at http://azmemory.lib.az.us.

Gould, Richard A.

1980 Living Archaeology. Cambridge University Press, Cambridge.

Greene, Jerome A.

1977 Historic Resource Study: Organ Pipe Cactus National Monument, Arizona. Denver: Historic Preservation Division, National Park Service.

Griffin, David J.

2007 Birds of Arizona's Southwestern Borderland. In *Dry Borders: Great Natural Reserves of the Sonoran Desert*, edited by Richard Stephen Felger and Bill Broyles, pp. 280-302. Salt Lake City: The University of Utah Press.

Hard, Robert J., and John R. Roney

2007 Cerros de Trincheras in Northwestern Chihuahua: The Arguments for Defense. In *Trincheras Sites in Time, Space, and Society*, edited by Suzanne K. Fish, Paul R. Fish, and Elisa Villalpando, pp. 11-52. The University of Arizona Press, Tucson.

Harris Environmental Group (HEG)

2008 A Class III Cultural Resources Survey of 14 Proposed Customs and Border Protection Tower Locations Within the Organ Pipe Cactus National Monument, Pima County, Arizona. Draft report on file at Organ Pipe Cactus National Monument, Ajo Arizona.

Haury, Emil W.

- 1943 The Stratigraphy of Ventana Cave, Arizona. American Antiquity 8(3):218-223.
- 1950 *The Stratigraphy and Archaeology of Ventana Cave*. Tucson: University of Arizona Press and Albuquerque: University of New Mexico Press.

Hayden, Julian D.

- 1966 Restoration of the San Dieguito Type Site to its Proper Place in the San Dieguito Sequence. *American Antiquity* 31(3):439-440.
- 1967 A Summary of History and Prehistory in the Sierra Pinacate, Sonora. *American Antiquity* 32(3):354-344
- 1976 Pre-Altithermal Archaeology in the Sierra Pinacate, Sonora, Mexico. *American Antiquity* 41(3):274-289.

Heilen, Michael R.

2004 Julian Hayden's Malpais Model: A Pre-Clovis Claim from the American Southwest. *Kiva*, 69:3, 305-331.

Henry, Robert S.

2007 Mammals of the Sonoran Desert Borderlands Reserves. In *Dry Borders: Great Natural Reserves of the Sonoran Desert*, edited by Richard Stephen Felger and Bill Broyles, pp. 272-279. Salt Lake City: The University of Utah Press.

Huckle, Bruce B.

1984 The Archaic Occupation of the Rosemont Area, Northern Santa Rita Mountains, Southeastern Arizona. *Arizona State Museum, Archeological Series* 147. Tucson: The University of Arizona.

Huckell, Bruce B., and C. Vance Haynes, Jr.

2003 The Ventana Complex: New Dates and Ideas on Its Place in Early Holocene World Prehistory. *American Antiquity* 68:353-371.

2007 Murray Springs: A Clovis Site with Multiple Activity Areas in the San Pedro Valley, Arizona. Tucson: University of Arizona Press.

Hunt, C.B.

1974 Natural Regions of the United States and Canada. San Francisco: W.H. Freeman and Co.

Intermountain Region Archaeology Program (IMRAP)

2019 Proposed Archaeological Response Plan Related to Border Construction along the Southern Boundary of Organ Pipe Cactus National Monument. June 21, 2019 draft plan on file at Intermountain Region Archaeology Program Office, Santa Fe.

Ives, R.L.

1936 Desert Floods in the Sonoyta Valley. *American Journal of Science* (5th Series) 32(191):349-360.

Johnson, William W.

1997 Soil Survey of the Gila Bend-Ajo Area, Arizona, Parts of Maricopa and Pima Counties. Washington, D.C.: USDA Natural Resources Service.

Justice, Noel D.

2002 Stone Age Spear and Arrow Points of the Southwestern United States. Bloomington, Indiana: Indiana University Press.

Kearney, Thomas H., and Robert H. Peebles

1951 Arizona Flora. Berkeley: University of California Press.

Kelley, J. Charles

1959 The Desert Cultures and the Balcones Phase: Archaic Manifestations in the Southwest and Texas. *American Antiquity* 24(3):276-278.

Kessell, John L.

2002 Spain in the Southwest: A Narrative History of Colonial New Mexico, Arizona, Texas, and California. Norman: University of Oklahoma Press.

Lavender, David

1992 De Soto, Coronado, Cabrillo: Explorers of the Northern Mystery, National Park Service Handbook 144. Washington, D.C: U.S. Department of the Interior, National Park Service.

Lindeman, Michael W.

2007 Specialized Production by Tucson Basin Households. Archaeology Southwest 21(3):9.

Lumholtz, Carl, and I.N. Dracopoli

1912 The Sonora Desert, Mexico. *The Geographical Journal*, Vol. 40, No. 5, pp. 503-518.

Martinez, Jr., Ray G.

1976 Superintendent's 1976 Calendar Year Report. On file, Organ Pipe Cactus National Monument, Ajo, Arizona.

Masse, W. Bruce

- 1980 Excavations at Gu Achi: A Reappraisal of Hohokam Settlement and Subsistence in the Arizona Papagueria. Western Archeological Center Publication in Anthropology, No. 12. Tucson: National Park Service.
- 1991 Hohokam: Subsistence and Civilization. In *Chaco & Hohokam: Prehistoric Regional Systems in the American Southwest*, edited by Patricia L. Crown and W. James Judge, pp. 195-223. Santa Fe: School of American Research Press.

McGee, W.J.

1898 *The Seri Indians*. Seventeenth Annual Report of the Bureau of American Ethnology to the Secretary of the Smithsonian, 1895-96, Government Printing Office, Washington, D.C.

McGuire, Kathleen

2012 Letter from Mexico: Archeology, Interrupted. In Archeology 65(4):53-60.

McGuire, Randall H., and María Elisa Villalpando

- 1993 An Archaeological Survey of the Altar Valley, Sonora, Mexico. Arizona State Museum Archaeological Series 184. Arizona State Museum, University of Arizona, Tucson.
- 1998 Cerro de Trincheras: A Pre-Hispanic Terraced Town in Sonora, Mexico. *Archaeology in Tucson*, Vol. 12, No. 1, pp. 1-7.
- 2015 War and Defense on Cerros de Trincheras in Sonora, México. *American Antiquity* 80(3):429-450.

Nassaney, Michael S. and Kendra Pyle

1999 The Adoption of the Bow and Arrow in Eastern North America: A View from Central Arkansas. *American Antiquity* 64(2):243-263.

National Park Service (NPS)

- 1997 Organ Pipe Cactus National Monument: Final General Management Plan, Development Concept Plans, Environmental Impact Statements. Denver: U.S. Department of the Interior, National Park Service.
- 2002 Quitobaquito, Organ Pipe Cactus National Monument: Cultural Landscapes Inventory. Report available at http://www.nps.orpi/naturescience.
- 2010 Organ Pipe Cactus National Monument: Superintendent's 2010 Report on Natural Resource Vital Signs. Ajo, Arizona: Organ Pipe Cactus National Monument.
- Palacio-Fest, Manuel R., James M. Bayman, Lisa W. Huckell, and Susan K. Fish 2008 Paleoecology of an Earthen Reservoir in Organ Pipe Cactus National Monument. In *Fragile Patterns: The Archaeology of the Western Papaguería*, edited by Jeffrey H. Altschul and Adrianne G. Rankin, pp. 165-178. SRI Press, Tucson.

Palacio-Fest, Manuel R., and Adrianne G. Rankin

2008 Environmental Change in the Western Portion of the Papaguería. In *Fragile Patterns: The Archaeology of the Western Papaguería*, edited by Jeffrey H. Altschul and Adrianne G. Rankin, pp. 123-138. SRI Press, Tucson.

Palmer, Jessica Dawn

2013 *The Apache Peoples: A History of All Bands and Tribes Through the 1800s.* McFarland & Company, Inc., Jefferson, North Carolina.

Rankin, Adrianne G.

1995 Archeological Survey of Organ Pipe Cactus National Monument, Southwestern Arizona: 1989-1991. Manuscript on file at Western Archeological and Conservation Center, Tucson, Arizona.

Rankin, Adrianne, Geri Antone, and Jenny Waters

1993a SON B:4:30 Arizona State Museum Archaeological Site Card. Ms. on file, National Park Service, Western Archaeological Conservation Center, Tucson.1993b SON B:4:32 Arizona State Museum Archaeological Site Card. Ms. on file, National Park Service, Western Archaeological Conservation Center, Tucson.

Renaud, Jared E.

2018 Cultural Resources Compliance on Undesignated Vehicle Routes (UVRs) during the 2017 Season at Organ Pipe Cactus National Monument (ORPI). Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.

Rheaume, Ernest

2008 Staking New Claims: Reinterpreting Historic Mining Sites. Paper delivered at La ICOMOS 16e Assemblée générale et le Symposium scientifique, 2008, Québec, Canada.

Ritchie, William A.

1932a The Algonkin Sequence in New York. American Anthropologist 34:406-414.

1932b The Lamoka Lake Site: The Type Station of the Archaic Algonkin Period in New York. Researches and Transactions of the New York State Archaeological Association 7:79-134. Rochester, New York.

Rogers, Malcolm

1939 Early Lithic Industries of the Lower Basin of the Colorado River and Adjacent Desert Areas, San Diego Museum Papers 3. San Diego Museum.

1958 San Dieguito Implements from the Terraces of the Rincon-Pantano and Rillito Drainage System. *Kiva* 24:1-23.

1966 Ancient Hunters of the Far West. San Diego: The union-Tribune Publishing Company.

Rosen, Philip C.

2007 Reptiles and Amphibians in Arid Southwestern Arizona and Northwestern Sonora. In *Dry Borderlands: Great Natural Reserves of the Sonoran Desert*, edited by Richard Stephen Felger and Bill Broyles, pp. 310-325. Salt Lake City: The University of Utah Press.

Sanchez, Guadalupe, and John Carpenter

2012 Paleoindian and Archaic Traditions in Sonora, Mexico. In *From Pleistocene to the Holocene: Human Organization and Cultural Transformations in Prehistoric North America*, edited by C. Britt Bousman and Bradley J. Vierra, pp. 125-147. Texas A&M University Press, College Station.

2016 Tracking the First People of Mexico: A Review of the Archaeological Record. In *Stones, Bones, and Profiles: Exploring Archaeological Context, Early American Hunter-Gatherers, and Bison*, edited by Marcel Kornfeld and Bruce B. Huckell, pp. 75-101. University Press of Colorado, Boulder.

Sassaman, Kenneth E.

2004 Common Origins and Divergent Histories in the Early Pottery Traditions of the American Southeast. In *Early Pottery: Technology, Function, Style, and Interaction in the Lower Southeast*, edited by Rebecca Saunders and Christopher T. Hays, pp. 23-40. Tuscaloosa, Alabama: University of Alabama Press.

Seymour, Deni J.

2009 Nineteenth-Century Apache Wickiups: Historically Documented Models for Archaeological Signatures of the Dwellings of Mobile People. *Antiquity* 83:157-164.
2013 Geronimo's Wickiup: Methodological Considerations Regarding Mobile Group Hut Signatures. *International Journal of Historical Archaeology* 17:182-195.

Shreve, Forest, and Ira L. Wiggins

1964 Vegetation and Flora of the Sonoran Desert, Volume I. Stanford: Stanford University Press.

Slaton, Dakota, Michael Lorrusso, and Connie Gibson

2014 A Class III Intensive Archaeological Survey of a Rock Art and Lithic Manufacturing Site Along the U.S.-Mexico Border, SON C:1:80 (ASM), Organ Pipe Cactus National Monument, Pima County, Arizona. Cultural Resources Report No. ORPI 2013D. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.

Snow, Dean

1996 The First Americans and the Differentiation of Hunter-Gatherer Cultures. In *The Cambridge History of the Native Peoples of the Americas, Volume I: North America*, edited by Bruce Trigger and Wilcomb E. Washburn, pp. 125-200. Cambridge University Press, Cambridge.

Spangle, Paul F., Garland J. Gordon, and John B. Johnson

1959 Preliminary Report of the Archeological Survey of Carlsbad Caverns National Park. Carlsbad, New Mexico.

Supernaugh, Bill

1951 SON C:01:004. Archeological site file on record at Organ Pipe Cactus National Monument, Ajo, Arizona.

Tagg, Martyn D., Michael P. Heilen, and Kerry L. Sagebiel

2002 ETAC 2000: Intensive Archaeological Survey of 2.296 Acres on the Eastern Tactical Range, Barry M. Goldwater Range East, Arizona. Tucson: Statistical Research, Inc.

Teague, Lynn

1977 Quitobaquito Basin Survey. Arizona State Museum, Tucson.

Texas Beyond History (TBH)

2018 Trans Pecos Mountains and Basins: Huts to Pueblos. Electronic document, https://www.texasbeyondhistory.net/trans-p/prehistory/images/architecture.html, accessed June 20, 2018.

Torrence, Robin

1989 Retooling: Toward a Behavioral Theory of Stone Tools. In *Time, Energy, and Stone Tools*, edited by Robin Torrence, pp. 57-66. Cambridge University Press, Cambridge.

Twilling, Shannon, Chester Shaw, Keith Knoblock, Sharon Urban, Barbara Murphy, and Lirain Urreiztieta

2008 A Class III Cultural Resources Survey of 14 Proposed Customs and Border Protection Tower Locations. Prepared for Secure Border Initiative (SBInet), U.S. Customs and Border Protection. On file, Organ Pipe Cactus National Monument. Ajo, Arizona.

Van Zwoll, Wayne

2009 .45-70 Government Cartridge. Electronic document, http://www.huntingmag.com/guns loads/PHunt 45gov 200801/, accessed July 23, 2019.

Veech, Andrew S.

- 2016 An Archeological Survey of 60 Undesignated Vehicle Routes (UVRs) and 34 UVR Blocks in Organ Pipe Cactus National Monument and Cabeze Prieta National Wildlife Refuge, Pima County, Arizona. NPS Cultural Resources Report No. ORPI 2016A. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.
- 2018a An Archeological Reevaluation of the Dos Lomitas Area of Organ Pipe Cactus National Monument, Pima County, Arizona. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.
- 2018b Archeological Surveys of Two Undesignated Vehicle Route (UVR) Blocks in Organ Pipe Cactus National Monument, Pima County, Arizona. Intermountain Region Archeology Program Project No. ORPI 2018 A. Report on file at Organ Pipe Cactus National Monument, Ajo, Arizona.

Whittlesey, Stephanie

2010 Monitoring and Discovery Plan for the TCA-AJO-310 Access Road Within Organ Pipe Cactus National Monument. Harris Environmental Group, Inc. Project Numbers 09-002 and 10-037. Submitted to The Boeing Company, Huntsville, Alabama. On file, Organ Pipe Cactus National Monument. Ajo, Arizona.

Wilcox, David R.

1980 The Current Status of the Hohokam Concept. In *Current Issues in Hohokam Prehistory:* Proceeding of a Symposium, Arizona State University Anthropological Research Papers, No. 23, edited by David E. Doyel and Fred Plog, pp. 236-242. Tempe: Arizona State University.

1991 Hohokam Social Complexity. In *Chaco & Hohokam: Prehistoric Regional Systems in the American Southwest* edited by Patricia L. Crown and W. James Judge, pp. 253-276. Santa Fe: School of American Research Press.

Willey, Gordon R. and Philip Phillips


1958 Method and Theory in American Archaeology. Chicago, IL: University of Chicago Press.


Young, Foy


1967 Superintendent's 1967 Calendar Year Report. On file, Organ Pipe Cactus National Monument, Ajo, Arizona.

Appendix A


Maps of Previously Surveyed Areas along the Southern Boundary of Organ Pipe Cactus National Monument













Appendix A., Figure 5. ORPI southern boundary map 5 of 5 (by I. Rodriguez 2019).

Appendix B

Maps of Areas Surveyed along the Southern Boundary of Organ Pipe Cactus National Monument during June 2019 Survey (ORPI 2019 B)



Appendix B, Figure 1. Map of ORPI transects surveyed immediately east and west of the Lukeville Port of Entry (by J. Renaud 2019).



Appendix B, Figure 2. Map of ORPI transects surveyed from the eastern terminus of (b) (3) (B) west toward the Dos Lomitas (by J. Renaud 2019).



Appendix B, Figure 3. Map of ORPI transects surveyed immediately east and west of the Dos Lomitas (by J. Renaud 2019).



Appendix B, Figure 4. Map of ORPI transects surveyed along West Fenceline Road west toward Aguajita Wash (by J. Renaud 2019).

Appendix C

Geospatial Coordinates of Isolated Occurrences (n=35) Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)

IO Number	Artifact Type	Material Type	Additional Remarks	UTM Easting	UTM Northing	Within Roosevelt Reservation (Y/N)
1	Marine mollusk shells (n=2)	shell	whole shells positioned 47 cm apart	(b) (3) (B)		N
2	Ceramic sherd (n=1)	redware	body sherd			N
3	Lithic debitage (n=1)	volcanic igneous rock				N
4	Secondary flake (n=1)	chert				Y
5	Primary flake (n=1)	basalt	1			Y
6	Secondary flakes (n=2)	chalcedony	positioned approx. 2 m apart			N
7	Utilized secondary flake (n=1)	volcanic igneous rock				N
8	Tobacco tin lid	tin	positioned approx. 1.5 m SW of IF 8			Y
9	Core (n=1)	volcanic igneous rock				N
10	Secondary flake (n=1)	chalcedony				N
- 11	Core (n=1)	chalcedony				N
12	Barbed wire spool	iron				Y
13	Primary flake (n=1)	basalt				Y
14	Core (n=1)	chalcedony				N
15	Secondary flake (n=1)	chalcedony				N
16	Biface (n=1)	chert	5×4×1 cm			N
17	Uniface (n=1)	chert	5×3.5×1 cm			N
18	Secondary flake (n=1)	chert				N
19	Lithic debitage (n=1)	volcanic igneous rock				N
20	Hammerstone (n=1)	volcanic igneous rock				N
21	Lithic debitage (n=1)	chalcedony				N
22	Secondary flake (n=1)	chalcedony				Y
23	Lithic debitage (n=1)	chalcedony				Y
24	Core (n=1)	chalcedony	7.5×5×4 cm			Y
	Unifacially modified cobble	volcanic				
25	tool (n=1) Lithic debitage	igneous rock	12×8×5 cm			Y
26	(n=1)	chert				Y

IO Number	Artifact Type	Material Type	Additional Remarks	UTM Easting	UTM Northing	Within Roosevelt Reservation (Y/N)
27	Secondary flake (n=1)	chert		(b) (3) (B)		Y
28	Marine shell fragments (n=3)	shell	positioned less than 70 cm apart			N
29	Retouched core (n=1)	chert				Y
30	Uniface (n=1)	chert				Y
31	Secondary flake (n=1)	chert)			N
32	Primary flake (n=1)	obsidian	1			N
33	Bifacial thinning flake (n=1)	obsidian				N
34	Barbed wire spool	iron	associated barbed wire fragments			Y
35	Mule shoe fragment	iron				Y

(Geospatial information recorded and processed by J. DeGayer)

Appendix D

Selective Photos of Isolated Occurrences Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)



Appendix D, Figure 1. Isolated Occurrence 1, marine mollusk shell (photo by A. Veech).



Appendix D, Figure 2. Isolated Occurrence 2, redware ceramic body sherd (photo by A. Veech).



Appendix D, Figure 3. Isolated Occurrence 4, chert secondary flake (photo by A. Veech).



Appendix D, Figure 4. Isolated Occurrence 7, volcanic igneous rock utilized secondary flake (photo by A. Veech).



Appendix D, Figure 5. Isolated Occurrence 12, barbed wire spool (photo by A. Veech).



Appendix D, Figure 6. Isolated Occurrence 17, chert uniface (photo by A. Veech).



Appendix D, Figure 7. Isolated Occurrence 18, chert secondary flake (photo by A. Veech).



Appendix D, Figure 8. Isolated Occurrence 20, volcanic igneous rock hammerstone (photo by A. Veech).



Appendix D, Figure 9. Isolated Occurrence 25, volcanic igneous rock unifacially modified cobble tool (photo by A. Veech).



Appendix D, Figure 10. Isolated Occurrence 30, chert uniface (photo by A. Veech).



Appendix D, Figure 11. Isolated Occurrence 32, obsidian primary flake (photo by A. Veech).



Appendix D, Figure 12. Isolated Occurrence 33, obsidian bifacial thinning flake (photo by A. Veech).



Appendix D, Figure 13. Isolated Occurrence 35, mule shoe fragment (photo by A. Veech).

Appendix E

Geospatial Coordinates of Isolated Features (n=20) Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)

IF Number	Feature Type	Material Type	Additional Remarks	UTM Easting	UTM Northing	Within Roosevelt Reservation (Y/N)
	10.636	Volcanic igneous	approx. 100 cm (E-	(b) (3) (E	3)	
1	Historic hearth	cobbles (n=17)	W) × 75 cm (N-S)		1	Y
	Recent hearth/rock	Volcanic igneous	approx. 85 cm (E-			44
2	ring	cobbles (n=11)	W) × 75 cm (N-S) 54 cm in diameter,			N
3	Rock ring	Volcanic igneous cobbles (n=9)	possibly associated w/ historic road trace 30 m N			N
4	Cobble cluster	Volcanic igneous cobbles (n=6)	60 × 50 cm, possibly associated w/ historic road trace 30 m N			N
5	Cobble pile	Vesicular basalt and volcanic igneous cobbles (n=8)	36 cm (N-S) × 33 cm (E-W) × 20 cm (height)			N
6	Boulder ring/possible sleeping circle	Vesicular basalt and volcanic igneous boulders and cobbles (n≥18)	225 cm (N-S) × 150 cm (E-W)			N
7	Boulder pile	Vesicular basalt and volcanic igneous boulders (n=4)	approx. 50 cm (N-S) × 50 cm (E-W) × 32.5 cm (height)			N
8	USGS benchmark	Brass/bronze	associated wooden stake debris			Y
9	Low-density surface lithic scatter	Chalcedony and basalt flakes and debitage (n=15)	approx. 23 m in diameter/ 0.03 ac in size			Y
10	Low-density surface lithic scatter	Chert, volcanic igneous, and rhyolite tools, flakes, and debitage (n=9)	approx. 30 m in diameter/0.09 ac in size			Y
11	Low-density surface lithic scatter	Chert and chalcedony tools, flakes, and debitage (n=12) and volcanic igneous mano frag (n=1)	0.09 ac in size			Y
12	Low-density surface lithic scatter	Chalcedony flakes and debitage (n=9) and core (n=1)	0.06 ac in size			N
13	Low-density surface lithic scatter	Chalcedony, chert, and basalt flakes (n=9) and core (n=1)	approx. 30 m in diameter/0.05 ac in size			N

IF Number	Feature Type	Material Type	Additional Remarks	UTM Easting	UTM Northing	Within Roosevelt Reservation (Y/N)
14	Possible thermal feature	Vesicular basalt and volcanic igneous cobbles (n≈50)	approx. 155 cm (N-S) × 137 cm (E-W)	(b) (3) (B)		Y
15	Low-density surface lithic scatter	Chalcedony, chert, and basalt flakes and debitage (n=6) and core (n=1)	approx. 25 m in diameter/0.06 ac in size			Y
16	Low-density surface lithic scatter	Chalcedony, chert, and basalt flakes and debitage (n=12); basalt core (n=1); basalt biface (n=1); and volcanic igneous rock utilized flake	29 m in diameter/0.08 ac in size			Y
17	Low-density surface lithic scatter	Chalcedony, chert, rhyolite, and volcanic igneous rock flakes and debitage (n=11)	0.09 ac in size			Y
18	Low-density surface lithic scatter	Rhyolite and chert flakes (n=4)	approx. 10 m in diameter/0.01 ac in size			Y
19	USGS benchmark	brass/bronze	atop summit of Monument Hill			N
20	USGS benchmark	brass/bronze				Y

(Geospatial information recorded and processed by J. DeGayer)

Appendix F

Selective Photos of Isolated Features Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)



Appendix F, Figure 1. Isolated Feature 1, historic-period hearth, view to the south (photo by A. Veech).



Appendix F, Figure 2. Isolated Feature 6, possible sleeping circle, view to the west (photo by A. Veech).



Appendix F, Figure 3. Isolated Feature 8, USGS benchmark and associated wooden stake debris, view to the north (photo by A. Veech).



Appendix F, Figure 4. Isolated Feature 14, possible thermal feature, view to the south (photo by A. Veech).

Appendix G

Geospatial Coordinates of Archaeological Sites (n=5) Identified during the June 2019 ORPI Southern Boundary Survey (ORPI 2019 B)

Site Number	Site Type	Recorded Size	Additional Remarks	UTM Centroid Easting	UTM Centroid Northing	Square Meters Within Roosevelt Reservation	NRHP Eligible (Y/N)
ORPI 2019 B,	precontact Native American	0.19 ha	Site artifacts include flaked obsidian, chalcedony, basalt, chert, and volcanic igneous rock; vesicular basalt and volcanic igneous rock groundstone; a volcanic igneous rock hammerstone; brownware and redware ceramic sherds; and marine	(b) (3) (B)			
Site 1	artifact scatter	(0.47 ac)	shell fragments. Site artifacts			0	Y
ORPI 2019 B, Site 2	precontact Native American artifact scatter	0.02 ha (0.05 ac)	include flaked chalcedony, basalt, chert, and volcanic igneous rock; and brownware and redware ceramic sherds.			0	N
ORPI 2019 B,	precontact Native American lithic	0.13 ha	Site artifacts include flaked chalcedony, rhyolite, chert, volcanic igneous				
ORPI 2019 B, Site 4	precontact Native American artifact scatter	0.02 ha (0.05 ac)	rock, and basalt. Site artifacts include flaked obsidian, chert, and rhyolite; brownware ceramic sherds; and a marine shell fragment.			209	N Y
ORPI 2019 B, Site 5	multicomponent artifact scatter	0.15 ha (0.37 ac)	Site artifacts include flaked volcanic igneous rock, basalt, chert, chalcedony, and rhyolite; and a .45-70 caliber rifle shell casing.			0	N

(Geospatial information recorded and processed by J. DeGaye

Appendix H

Selective Photos of ORPI 2019 B Site Artifacts



Appendix H, Figure 1. Volcanic igneous rock utilized secondary flake, ORPI 2019 B, Site 2 (photo by A. Veech).



Appendix H, Figure 2. Basalt utilized secondary flake, ORPI 2019 B, Site 2 (photo by A. Veech).



Appendix H, Figure 3. Volcanic igneous rock flake bifacial preform, ORPI 2019 B, Site 3 (photo by A. Veech).



Appendix H, Figure 4. Chert uniface, ORPI 2019 B, Site 3 (photo by A. Veech).



Appendix H, Figure 5. Basalt utilized secondary flake, ORPI 2019 B, Site 3 (photo by A. Veech).



Appendix H, Figure 6. Marine shell fragments, ORPI 2019 B, Site 4 (photo by A. Veech).



Appendix H, Figure 7. Obsidian retouched primary flake, ORPI 2019 B, Site 4 (photo by A. Veech).



Appendix H, Figure 8. Volcanic igneous rock uniface, ORPI 2019 B, Site 4 (photo by A. Veech).



Appendix H, Figure 9. .45-70 rifle cartridge shell, ORPI 2019 B, Site 5 (photo by A. Veech).



Appendix H, Figure 10. Volcanic igneous rock bifacial preform, ORPI 2019 B, Site 5 (photo by A. Veech).

Appendix I

Arizona State Museum (ASM) Site Cards for ORPI 2019 B, Sites 1, 2, 3, 4, and 5

SENSITIVE INFORMATION DO NOT DISTRIBUTE

	ARIZUNA STA	ALE MOSEUN	M ARCHAEC	LOGIC	AL SITE	CARD	Side	
Field No: ORPI 2019	B, Site 1			N	lati. Reg	Opinion:	Recomme Eligible	nded
Recorders: A. Veech,	J. Renaud, J. DeGay	yner, I. Rodrig	uez, S. Hart					
Recording Organization:							ed: 06/24/2	
	ological Survey of 18							der,
The second secon	Pipe Cactus National	Monument, F	Pima County	, Anzor	na (Proje	ct No. OF	(PI 2019 B)	
	19 B, Site 1 PVT CTY	CO	CT	TO	10	Here	Her	A.
and status (check one):	NPS X BLM	DOD	ST ACE		RIB	USFS	USF	/V
Owner/Agency name: Or				DC	JK	RIC		
Survey Colls: Y		Repository Ins		Δ.				
	ional Park Service, I				v Project	No. 2015	98	
Mapname USGS:	(b) (3) (B)		b) State:		County:	Pima	El:	in.
	or M X Length		idth: 38		- Annak			
How measured EST		GPS	X MAP		TAPE			
		BL	TWN	RNG		SEC	SUBDIVI	SION
entr UTM Z 12 E (b) (3) (B)			- OF-				
peri UTM Z E	NN							
oeri UTM Z E	N							
peri UTM Z E	N							
peri UTM Z E	N							
How were UTMs derived:	USGS Map	GPS 2	X					
35 m (279 ft) (N-S) × 38 n consists predominately of	tely (b) (3) (B) e park, and (b) (3) (m (125 ft) (E-W) acro f creosote, bursage,	B) west oss the broad and saltbrush	Lukeville Po of the (b) (3 alluvial flats	rt of En (B) (B) of the (B)	try, (b)	The site Valley. Si dra	extends rou te vegetatio inage lies	the ighly n
as m (279 ft) (N-S) × 38 n consists predominately of approximately (b) (3) (B) (b) (3) (B) (as total of 116 artifacts we ground stone fragments and 5 marine shell fragments thert, chalcedony, basalt, sherds denote a post-Arci	tely (b) (3) (B) e park, and (b) (3) (e) f (125 ft) (E-W) acrosofte, bursage, west of the sit the site. The Sonoy fre identified across for 1 hammerstone, 2 ents. Lithic material and obsidian. None	by the west oss the broad and saltbrush te, while anoth ta River lies re ORPI 2019 B, pieces of fire types within the of the site little	Lukeville Po t of the (b) (3 alluvial flats n. A (b) (3) (her (b) (3) (oughly(b) (3 . Site 1, inclus- cracked room he site assen hic artifacts,	et of En (B) (B) of the S (B) (B) (B) (C) (B) (B) (B) (C) (C) (C) (C) (C) (C) (C) (C	Sonoyta o the s non-util lain, und include v er, are di	The site Valley. Si drai drai drai drai drai drai drai dra	vest of extends rou te vegetatio inage lies nage lies ro ed stone arti ceramic she gneous rock Site cerami	the ughly n ughly facts, erds,
as m (279 ft) (N-S) × 38 n consists predominately of approximately(b) (3) (B) b) (3) (B) cast of total of 116 artifacts we ground stone fragments and 5 marine shell fragments shert, chalcedony, basalt, sherds denote a post-Arcice). Given its proximity to the encampment that was occurry be associated and comply (5), (b) (2)	tely (b) (3) (B) e park, and (b) (3) (e) e park, and (b) (3) (e) f (125 ft) (E-W) acros f creosote, bursage, west of the sit the site. The Sonoy ere identified across f and across f and obsidian. None haic (post 300 CE) of Sonoyta River and the cupied either over a contemporaneous with	by the west oss the broad and saltbrush te, while anoth ta River lies re ORPI 2019 B, pieces of fire types within the occupation, like the density and single, extend the dense of the dens	Lukeville Po t of the (b) (3 alluvial flats i. A (b) (3) (ber (b) (3) (oughly(b) (3) . Site 1, inclus- cracked room hic artifacts, kely during the d variety of index documentration	of the SB) of the SB) ding 55ck, 51 penblage however the Hohole to artifate the form of sea	Sonoyta Sonoyta o the s non-util lain, und include v er, are di okam Cla acts, ORF er over m sonal oc	The site Valley. Si drai drai drai drai drai drai drai dra	vest of extends route vegetation inage lies roused stone articeramic she gneous rock Site ceramic of (1150-14). Site 1 likely bisodic ones sites located te holds pot	the ughly n ughly facts, erds, c 000 y is an . It
as m (279 ft) (N-S) × 38 n consists predominately of approximately(b) (3) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	tely (b) (3) (B) e park, and (b) (3) (e) e park, and (b) (3) (e) f (125 ft) (E-W) acros f creosote, bursage, west of the sit the site. The Sonoy ere identified across f and across f and obsidian. None haic (post 300 CE) of Sonoyta River and the cupied either over a contemporaneous with	by the west oss the broad and saltbrush te, while anoth ta River lies re ORPI 2019 B, pieces of fire types within the occupation, like the density and single, extend the dense of the dens	Lukeville Po t of the (b) (3 alluvial flats i. A (b) (3) (ber (b) (3) (oughly(b) (3) . Site 1, inclus- cracked room hic artifacts, kely during the d variety of index documentration	of the SB) of the SB) ding 55 k, 51 p however ts artifat f time of of sea	Sonoyta Sonoyta The sono the	The site Valley. Si dra drai south. drai drai south. drai south. drai drai south. drai drai south. drai drai drai drai drai drai drai drai	vest of extends route vegetation inage lies roused stone articeramic she gneous rock Site ceramic of (1150-14). Site 1 likely bisodic ones sites located te holds pot	the ughly n ughly facts, erds, c 000 y is an . It d ential
that is located approximal b) (3) (B) of the state of the	tely (b) (3) (B) e park, and (b) (3) (e) e park, and (b) (3) (e) f (125 ft) (E-W) acros f creosote, bursage, west of the sit the site. The Sonoy ere identified across f and across f and obsidian. None haic (post 300 CE) of Sonoyta River and the cupied either over a contemporaneous with	by the west oss the broad and saltbrush te, while anoth ta River lies re ORPI 2019 B, pieces of fire types within the occupation, like the density and single, extend the dense of the dens	Lukeville Po of the (b) (3 alluvial flats n. A (b) (3) (6 ber (b) (3) (7 ber (b) (3) (7 ber site 1, included a site assential artifacts, sely during the desired of the concentration on, utilization	of the SB) of the SB) ding 55 k, 51 p however ts artifat f time of of sea	Sonoyta Sonoyta The sono the	The site Valley. Si drai drai drai drai drai drai drai dra	vest of extends route vegetation inage lies roused stone articeramic she gneous rock Site ceramic of (1150-14). Site 1 likely bisodic ones sites located to the holds potugh time.	the ughly n ughly facts, erds, c 000 y is an . It d ential
as m (279 ft) (N-S) × 38 n consists predominately of approximately(b) (3) (B) A total of 116 artifacts we ground stone fragments and 5 marine shell fragments shert, chalcedony, basalt, sherds denote a post-Arcice). Given its proximity to the encampment that was occurred by a sasociated and company be associated and company be associated and company be associated and company situs. Agency Proj. No: Valutional Reg Rec.	tely (b) (3) (B) e park, and (b) (3) (e) e park, and (b) (3) (e) f (125 ft) (E-W) acros f creosote, bursage, west of the sit the site. The Sonoy ere identified across f and across f and obsidian. None haic (post 300 CE) of Sonoyta River and the cupied either over a contemporaneous with	of the west oss the broad and saltbrush te, while anoth ta River lies room of the site of the site little occupation, like the density and single, extend the dense conal occupation.	Lukeville Po of the (b) (3 alluvial flats n. A (b) (3) (6 ber (b) (3) (7 ber (b) (3) (7 ber site 1, included a site assential artifacts, sely during the desired of the concentration on, utilization	of the SB) of the SB) ding 55 k, 51 p however ts artifat f time of of sea	Sonoyta o the s non-util lain, und include v er, are di okam Cla ets, ORF er over m sonal oc Th rade patt ation type	The site Valley, Si dra drai south. Sized flake ecorated volcanic is agnostic. essic period procupation us, the site erns through	vest of extends route vegetation inage lies roused stone articeramic she gneous rock Site ceramic od (1150-14), Site 1 likel bisodic ones sites located the holds pot ugh time.	the ughly n ughly facts, erds, c 000 y is an . It d ential
as m (279 ft) (N-S) × 38 n consists predominately of approximately (b) (3) (B) (b) (3) (B) (a) (B) (C) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	tely (b) (3) (B) e park, and (b) (3) (e) e park, and (b) (3) (e) f (125 ft) (E-W) acros f creosote, bursage, west of the sit the site. The Sonoy ere identified across f and across f and obsidian. None haic (post 300 CE) of Sonoyta River and the cupied either over a contemporaneous with	by the west oss the broad and saltbrush te, while anoth ta River lies re ORPI 2019 B, pieces of fire types within the occupation, like the density and single, extend the dense of the dens	Lukeville Po of the (b) (3 alluvial flats n. A (b) (3) (6 ber (b) (3) (7 ber (b) (3) (7 ber site 1, included a site assential artifacts, sely during the desired of the concentration on, utilization	of the SB) of the SB) ding 55 k, 51 p however ts artifat f time of of sea	Sonoyta o the s non-util lain, und include v er, are di okam Cla ets, ORF er over m sonal oc Th rade patt ation type	The site Valley, Si dra drai south. lized flake ecorated volcanic is agnostic. issic period properties of the site	vest of extends route vegetation inage lies roused stone articeramic she gneous rock Site ceramic od (1150-14), Site 1 likel bisodic ones sites located the holds pot ugh time.	the ughly n ughly facts, erds, c 000 y is an . It d ential

Appendix I, Figure 1a. ASM Site Card for ORPI 2019 B, Site 1, pp. 1 of 2.

Denocitional Contact Sales		MUSEUM ARCHA	EOLOGICAL SITE	CARD	Side C
	se as many as apply)	n. Charles	2.00	100	a an Month
(1) Open, no depth	3.7	Rockshelter, no	12.4		e, no depth
(2) Open, depth X (3) Open, depth uni		Rocksheiter, de Rocksheiter, de	The second second	(9) Cav	e, depth e, depth unknown
(4) Open, exposed		Nocksheller, de	pin unknown	(10) Cav	e, depair driktiowii
Topo, Setting: broad alle	uvial flats of the Sono	oyta Valley			
Vegetation creosote	, bursage, and saltbri	ush			
Geology/soils Gilman v	ery fine sandy loam (saline); Gunsight	t very gravelly loar	n, 2 lo 15 pe	cent slopes
Site Condition: Good					
Site Type (choose one) X					NA sandania sagan.
	(b) Features with a	issociated artifac	ts (c) F	estures with	NO associated artifacts
Assemblage Composition	The state of the s	With the control of t	The second secon	"P" for type	es known only to be
E4 Diskinger Water	present, "0" for ty	As a second seco			Animal manage a feet to to
51 Prehistoric Ceran 55 Chipped Stone	nic 2 FCR 5 Shell		Glass Metal	-	Animal remains/artifacts Plant remains/artifacts
2 Groundstone	100.71	ric Ceramic	Historic W	food	Human remains
Assemblage Remarks: Site Hohokam Classic period (1	1150-1400 CE). Ex	otic obsidian ar	nd marine shell a	rtifacts clea	
or exchange of raw materia					
	lata: (Complete one fe	ature record for e	each type of feature	recorded for	this site.)
Feature C	Data: (Complete one fe				C 11 (1)
or exchange of raw materia Feature 0 Feature 0 Name	Data: (Complete one fe	use Use	each type of feature Culture	recorded for Age	this site.) Period/Phase
Feature 0 Feature No. 1 Name					C 11 (1)
Feature 0 Feature No. 1 Name Feature 1 Ramark:					C 11 (1)
Feature C					C 11 (1)
Feature 0 Feature No. 1 Name Feature 1 Ramark: Feature No. 2	Count	Use	Culture	Age	Period/Phase
Feature 0 Feature No. 1 Name Feature 1 Ramark: Feature No. 2 Name	Count	Use	Culture	Age	Period/Phase

Appendix I, Figure 1b. ASM Site Card for ORPI 2019 B, Site 1, pp. 2 of 2.

-	
4	
쑈	
N	
О	١.
z	
Þ	
23	
-	
5	
-	H
_	
≤	
\subseteq	
S	
m	
c	
z	5-
Ξ	
2	
~	١.
2	
ᆂ	e.
₽	
ш	١,
0	٠
┖	
Q	
G	
7	
*	
=	
٠.	
8	١.
=	١.
m	
0	
-	7
4	
u	

Field No: ORPI 2019 Recorders: A Veech,						A. 65	eg Opinion:	Additional Evaluation Required	
Recording Organization: Archaec Project Name: Organ P		ce Kilomete	rs (11.	3 Miles)	of the	U.S. N	Date Records Mexico Internoject No. OR	national Boro	
Land status (check one): Owner/Agency name. O Survey Colls: Y	NPS X BLM rgan Pipe Cactus Nati	pository I	ument nstitute		В	RIB OR	RTC	USFV	v
		Series:	/1.3	State:				E	ft
Site Size: in Ft	or M X Length:		Width:	17	746	o o o i i i	, , , , , ,		
How measured: EST		GPS	X	MAP		TAF	PE		
		BL	TV	VN	RNO	3	SEC	SUBDIVIS	SION
ontr UTM Z 12 E	b) (3) (B)								
perl UTM Z E	N								
peri UTM Z E	N								
peri UTM Z E	N								
peri UTM Z E	N								
How were UTMs derived:	USGS Map	GPS	X						
of Entry and (0) (3) (B) SW-NE) × 17 m (50 ft) (1	west of the (b)	oad alluvi	pproxi	mately of the of the S	park, sonoyt	(B) and it ra a Valley	anges rough y, some (b)	the Lukeville by 28 m (92 (3) (B) we	ft) est of
of Entry and (5) (8) (B) (SW-NE) × 17 m (56 ft) (I the western toe slopes of creosote, bursage, and softhe site, while the Sono A total of 56 artifacts were utilized secondary flakes, assemblage include volcating period (1150-140). Given its compact size, Comore than a single night.	west of the (DNV-SE) across the brifthe Sierra de Santa Falt brush. A (D) (S) (E) oyta River lies roughly e identified across OF, and 22 plain, undecomple igneous rock, chesherds denote a post-10 CE). ORPI 2019 B, Site 2 min duration. It may be	(3) (B) coad alluvia Rosa mou) (b) (3) (B RPI 2019 E rated cera ert, chalce Archaic (p ay constit associate	al flats ntain ra 3) 3, Site 2 amic sh dony, a cost 300	of the Sange, Single drain of the Sange, Single drain of the Sange, Single drain of the Sange drain of the S	park, concytite veg nage I outhwriting 31 ithic malt. No occupations of a contract of	(B) and it ra a Valley getation lies apprest 1 non-un naterial tone of the	of langes rough y, some (b) consists pre croximately 1 tillized flaked types within he site lithic ely during the encampment	the Lukeville by 28 m (92 (3) (B) we edominately (b) (3) (B) stone artifa the site artifacts are e Hohokam t, perhaps o	ft) est of of east ects, 3
of Entry and (b) (3) (B) (SW-NE) × 17 m (56 ft) (I the western toe slopes of creosote, bursage, and stof the site, while the Sonotal of 56 artifacts were utilized secondary flakes, assemblage include volcadiagnostic. Site ceramic scassic period (1150-140) Given its compact size, Comore than a single night seasonal occupation sites (b) (5).	west of the (DNV-SE) across the brifthe Sierra de Santa Falt brush. A (D) (S) (E) oyta River lies roughly e identified across OF, and 22 plain, undecomple igneous rock, chesherds denote a post-10 CE). ORPI 2019 B, Site 2 min duration. It may be	(3) (B) coad alluvia Rosa mou) (b) (3) (B RPI 2019 E rated cera ert, chalce Archaic (p ay constit associate	al flats ntain ra 3) 3, Site 2 amic sh dony, a lost 300 ute the d and c	of the Sange, Single drain of the Sange, Single drain of the Sange, Single drain of the Sange drain of the S	park, sonoytite veg nage I outhwriting 31 ithic malt. No occupations of a corane	(B) and it ra a Valley petation lies apprest 1 non-unaterial one of the tion, like a brief e ous with	of langes rough y, some (b) consists pre con	the Lukeville by 28 m (92 (3) (B) we edominately (b) (3) (B) stone artifa the site artifacts are e Hohokam t, perhaps o	ft) est of of east east f no on of
measuring 0.02 ha (0.05 of Entry and (b) (3) (B) (SW-NE) × 17 m (56 ft) (the western toe slopes of creosote, bursage, and stof the site, while the Sonoth A total of 56 artifacts were utilized secondary flakes, assemblage include volcidizagnostic. Site ceramic stocked (1150-140) Given its compact size, Compact than a single night seasonal occupation site (b) (5). Agency Site: Agency Proj. Not.	west of the (DNV-SE) across the brifthe Sierra de Santa Falt brush. A (D) (S) (E) oyta River lies roughly e identified across OF, and 22 plain, undecomple igneous rock, chesherds denote a post-10 CE). ORPI 2019 B, Site 2 min duration. It may be	(3) (B) coad alluvia Rosa mou) (b) (3) (B RPI 2019 E rated cera ert, chalce Archaic (p ay constit associate	al flats ntain ra 3) 3, Site 2 amic sh dony, a lost 300 ute the d and c	of the Singe, Si	park, sonoytite veg nage I outhwriting 31 ithic malt. No occupations of a corane	(B) and it ra a Valley petation lies apprest 1 non-unaterial one of the tion, like a brief e ous with	of langes rough y, some (b) consists pre con	the Lukeville by 28 m (92 (3) (B) we edominately (b) (3) (B) d stone artifa the site artifacts are e Hohokam t, perhaps o concentration	ft) est of of east east f no on of
of Entry and (b) (3) (B) (SW-NE) × 17 m (56 ft) (I the western toe slopes of creosote, bursage, and stof the site, while the Sonoth the site, assemblage include volcidized secondary flakes, assemblage include volcidized second (1150-140). Given its compact size, Comore than a single night seasonal occupation site (b) (5).	west of the (b) NVV-SE) across the brithe Sierra de Santa Falt brush. A (b) (3) (E) oyta River lies roughly the identified across OF, and 22 plain, undecolonic igneous rock, chesherds denote a post-to CE). ORPI 2019 B, Site 2 min duration. It may be a located (b) (5).	(3) (B) coad alluvia Rosa mou) (b) (3) (B RPI 2019 E rated cera ert, chalce Archaic (p ay constit associate	al flats ntain ra 3) 3, Site 2 amic sh dony, a cost 300 aute the	of the Singe, Si	park, sonoytite veg nage I outhwriting 31 ithic malt. No occupations of a corane	(B) and it ra a Valley petation lies apprest 1 non-unaterial one of the tion, like a brief e ous with	of enges rough y, some (b) consists pre- con	the Lukeville by 28 m (92 (3) (B) we edominately (b) (3) (B) is stone artifathe site artifacts are e Hohokam t, perhaps o concentration document loc	ft) est of of east east f no on of

Appendix I, Figure 2a. ASM Site Card for ORPI 2019 B, Site 1, pp. 1 of 2.

Depositional Context: (choose as		MUSEUM ARCH	AEOLOGICAL SITE	CARD	Side C
(1) Open, no depth		Rockshelter, n	o donth	(8) Cave	no denth
(2) Open, depth		Rockshelter, d	C CAS -	(9) Cave	100 to 170 and 1
X (3) Open, depth unknow (4) Open, exposed only	wn(7)		lepth unknown		depth unknown
	flats of the Son	oyta Valley			
/egetation: creosote, burn	sage, and salt b	rush			
Geology/soils. Gilman very f	ine sandy loam	(saline); Gunsigh	nt very gravelly loa	m, 2 to 15 perc	ent slopes
Site Condition: Good					
Site Type (choose one): X (a) Artifact Scatter	(No other feature	res visible on the s	surface)	
(b	Features with	associated artifa	cts (c)	Features with N	O associated artifacts
Assemblage Composition (in	dicate quantit	ies as counts, i	estimated ranges	s, "P" for types	known only to be
pr	esent, "0" for t	ypes not seen	at the site.)		
22 Prehistoric Ceramic	FCR		Glass		Animal remains/artifacts
34 Chipped Stone	Shell		Metal		Plant remains/artifacts
Groundstone	Histo	ric Ceramic	Historic V	Vood	Human remains
Diagnostics (indicate quantity	of cultural/tem	poral/functiona	l types as count	s, estimates, o	or "P")
Assemblage Remarks: Site ce Hohokam Classic period (1150		denote a post-A	rchaic (post 300	CE) occupati	on, likely during the
Feature Data:	(Complete one f	eature record for	each type of featur	e recorded for the	nis site.)
Name	Count	Use	Culture	Age	Period/Phase
Feature 1 Remark:					
	2003	Day	Cultura	Ana	Period/Phase
Feature No. 2	C. marine	Use	Culture	Age	Period/Phase
Name	Count			_	
The second second second	Count				

Appendix I, Figure 2b. ASM Site Card for ORPI 2019 B, Site 2, pp. 2 of 2.

Field No: ORPI 2019 B, Site 3	NA STATE MUSE		Na	1,4	Opinion:	Additional Evaluation Required	
Recorders: A Veech, J Renaud, J Recording Organization: National P Archaeological Survi Project Name: Organ Pipe Cactus N Site Name: ORPI 2019 B, Site 3	ark Service ey of 18.2 Kilomete National Monument	ers (11.3 Miles) of the U	J.S. Mex	ico Interr	ed: 06/26/2 national Bor RPI 2019 B)	
Land status (check one): PVT	CTY CO	ST	TRI	В	USFS	USF	N
NPS X	BLM DOD		BO	R	RTC		
Owner/Agency name: Organ Pipe Ca	ectus National Mon	ument					
Survey Colls: Y N X	Repository I ervice, Intermounta	Institute: N/		Designat	No 2011	0.0	_
Report Reference: National Park Se Mapname USGS: (b) (3) (B)	ervice, Intermounta	State:		County	Pima	El:	ft
Site Size: in Ft or M X	Length: 70	Width: 50	AL C	Don'ty_	Fillia		-"
	ACE GPS	X MAP		TAPE			
Lui	BL	TWN	RNG		SEC	SUBDIVI	SION
cntr UTM Z 12 E (b) (3) (B)	O.C.	2.7.1.			-	2320,11	-1-4
peri UTM Z E N							
peri UTM Z E N							
per UTM Z E N							
peri UTM Z E N							
How were UTMs derived: USGS Ma	no GPS	x	_				
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3)	nd(b) (3) (B) 4 ft) (WNW-ESE) a B) north of East	vest of OR cross the broat Fenceline Roat	PI 2019 I d alluvia id, within	B, Site 2 I flats of the Roo	the Sono osevelt R	e extends ro byta Valley, deservation.	ughly and its
ORPI 2019 B, Site 3 is a low-density, ac) in size that is located approximate the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) (b) drainage lies rougmi) to the south-southwest	nd(b) (3) (B) 4 ft) (WNW-ESE) a B) north of East	vest of OR cross the broa Fenceline Roa bushes, puncti (b) (3) (B)	PI 2019 I d alluvial id, within lated by west of	B, Site 2 I flats of the Roo several the site.	the Sono osevelt R chain fru while an	e extends ro byta Valley, deservation, dit cholla. A nother (b) (6	ughly and its Site
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) vegetation consists mostly of an unde (b) (3) (B) drainage lies roug	hd (b) (3) (B) 4 ft) (WNW-ESE) a B) horth of East restory of creosote is elies approximated hly (b) (3) (B) exit field across ORPI 2 and 1 bifacial prefor chalcedony, and be course in height a proximately 65 cm rock and vesicular	vest of ORI cross the broad Fenceline Road bushes, punctive y (5) (6) (3) ast of the site. O19 B, Site 3, m. Lithic materials as alt. None of of indetermination (25.6 in) (N-S) basalt cobbles	PI 2019 Id alluvial id, within rated by west of The Son including rial types the site I inate fun in x 46 cm is comprise.	B, Site 2 I flats of the Roo several the site, oyta Riv 27 non within t ithic arti-	The site the Sono osevelt R chain fru while an ver lies routlized the site at facts are so occurs n) (E-W)	e extends ro byta Valley, deservation. it cholla. A nother (b) (b) bughly (b) (f flaked stone ssemblage in diagnostic. s within the s × 9 cm (3.5	ughly and its Site 3) (B) nclude site in)
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) vegetation consists mostly of an under (b) (3) (B) drainage lies rougmi) to the south-southwest. A total of 32 lithic artifacts were identifaction, 3 utilized flakes, 1 uniface, a rhyolite, volcanic igneous rock, chert, A small cobble cluster of only a single boundaries. This cluster measures ap (height). At least 15 volcanic igneous	Ind (5) (8) (B) 4 ft) (WNW-ESE) a B) north of East restory of creosote is elies approximately (b) (C) (B) fied across ORPI 2 and 1 bifacial prefor chalcedony, and be course in height a proximately 65 cm rock and vesicular n) and 7×6×4 cm (counts of a short-term terms of a short-term	vest of ORI cross the broad Fenceline Road bushes, punctive y (5) (6) (8) ast of the site. O19 B, Site 3, m. Lithic material asalt. None of and of indeterm (25.6 in) (N-S) basalt cobbles 2.8×2.4×1.6 in m encampment flowever, this in	PI 2019 Id alluvial id, within lated by west of The Son including rial types the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm	B, Site 2 I flats of the Roc several the site, oyta Riv 1 27 non within t ithic arti thic arti the the cl	the Sond osevelt R chain fru while are rer lies ro -utilized he site a facts are so occurs n) (E-W) uster, rar	e extends robyta Valley, leservation, lit cholla A nother (b) (3 bughly (b) (flaked stone ssemblage in diagnostic. It within the sex 9 cm (3.5 nging in size occupied at eculative, ba	ughly and its Site 3) (B) nclude site in)
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) vegetation consists mostly of an under the park, a ft (b) (3) (B) drainage lies rought (b) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	Ind (5) (8) (B) 4 ft) (WNW-ESE) a B) north of East restory of creosote is elies approximately (b) (C) (B) fied across ORPI 2 and 1 bifacial prefor chalcedony, and be course in height a proximately 65 cm rock and vesicular n) and 7×6×4 cm (chants of a short-term terms of a short-term	vest of ORI cross the broad Fenceline Road bushes, punctive y (5) (6) (8) ast of the site. 1019 B, Site 3, m. Lithic material asalt. None of the site of the site. 1025 G in) (N-S) basalt cobbles 12.8×2.4×1.6 in m. encampment	PI 2019 Id alluvial id, within lated by west of The Son including rial types the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm	B, Site 2 I flats of the Roc several the site, oyta Riv 1 27 non within t ithic arti thic arti the the cl	the Sond osevelt R chain fru while are rer lies ro -utilized he site a facts are so occurs n) (E-W) uster, rar	e extends robyta Valley, reservation, it cholla. A nother (b) (3 bughly (b) (flaked stone ssemblage in diagnostic. It within the sex 9 cm (3.5 nging in size occupied at	ughly and its Site 3) (B) nclude site in)
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) vegetation consists mostly of an unde b) (3) (B) drainage lies rough) (3) (B) drainage lies rough) to the south-southwest. A total of 32 lithic artifacts were identifacts, 3 utilized flakes, 1 uniface, a rhyolite, volcanic igneous rock, chert, A small cobble cluster of only a single boundaries. This cluster measures ap (height). At least 15 volcanic igneous between 27×20×9 cm (10.6×7.9×3.5 in ORPI 2019 B, Site 3 may be the rempoint during the Archaic period (8,500 the absence any ceramic artifacts. Agency Site: Agency Proj. No.	Ind (5) (8) (B) 4 ft) (WNW-ESE) a B) north of East restory of creosote is elies approximately (b) (C) (B) fied across ORPI 2 and 1 bifacial prefor chalcedony, and be course in height a proximately 65 cm rock and vesicular n) and 7×6×4 cm (chants of a short-term terms of a short-term	vest of ORI cross the broad Fenceline Road bushes, punctive y (5) (6) (8) ast of the site. O19 B, Site 3, m. Lithic material asalt. None of and of indeterm (25.6 in) (N-S) basalt cobbles 2.8×2.4×1.6 in m encampment flowever, this in	PI 2019 Id alluvial id, within lated by west of The Son including rial types the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm	B, Site 2 I flats of the Roc several the site, oyta Riv 1 27 non within t ithic arti thic arti the the cl	the Since the Sono osevelt R chain fru while armore lies routilized the site as facts are so occurs in (E-W) uster, rarmsed and urely spening in the site as the site as facts are so occurs in the site as the site as facts are so occurs in the site as the site as facts are so occurs in the site as the site	e extends robyta Valley, leservation, lit cholla A nother (b) (3 bughly (b) (flaked stone ssemblage in diagnostic. It within the sex 9 cm (3.5 nging in size occupied at eculative, ba	ughly and its Site 3) (B) nclude site in)
the (b) (3) (B) of the park, a 70 m (230 ft) (SSW-NNE) × 50 m (164 southern edge lies less than (b) (3) vegetation consists mostly of an under b) (3) (B) drainage lies rough drainage lies rough) to the south-southwest. A total of 32 lithic artifacts were identificantifacts, 3 utilized flakes, 1 uniface, a rhyolite, volcanic igneous rock, chert, A small cobble cluster of only a single boundaries. This cluster measures ap (height). At least 15 volcanic igneous between 27×20×9 cm (10.6×7.9×3.5 in the composite of the proposite during the Archaic period (8,500 the absence any ceramic artifacts.	Ind (5) (8) (B) 4 ft) (WNW-ESE) a B) north of East restory of creosote is elies approximately (b) (C) (B) fied across ORPI 2 and 1 bifacial prefor chalcedony, and be course in height a proximately 65 cm rock and vesicular n) and 7×6×4 cm (chants of a short-term terms of a short-term	vest of ORI cross the broad Fenceline Road bushes, punctive y (b) (c) (d) ast of the site. O19 B, Site 3, m. Lithic materials as the s	PI 2019 Id alluvial id, within lated by west of The Son including rial types the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm is comprise in the site I limate fun in x 46 cm	B, Site 2 I flats of the Roc several the site, oyta Riv I 27 non within t ithic arti thic arti the the cl	the Sono osevelt R chain fru while ar ver lies ro -utilized he site a facts are so occurs n) (E-W) uster, rar sed and urely spe	e extends robyta Valley, leservation, lit cholla. A nother (b) (3 bughly (b) (6 liaked stone seemblage in diagnostic. It within the sex 9 cm (3.5 liaging in size occupied at eculative, ba	ughly and its Site 3) (B) nclude site in)

Appendix I, Figure 3a. ASM Site Card for ORPI 2019 B, Site 3, pp. 1 of 2.

	e as many as apply				dh C
(1) Open, no depth	the state of the s	Rockshelter, no depti	(8)	Cave, no depth	
(2) Open, depth		Rockshelter, depth	(9)	200000000000000000000000000000000000000	
X (3) Open, depth unk		Rockshelter, depth ur	1.3	Cave, depth unknown	
(4) Open, exposed of		Nocksheiter, depth of	ikilowii	Odve, depth drishown	
Topo, Setting: broad allu	vial flats of the Son	oyta Valley			
Vegetation: an unders	story of creosote bus	shes, punctuated by sev	eral chain fruit cho	Sila	
Geology/soils: Gilman ve	ry fine sandy loam	(saline); Gunsighl very g	ravetly loam, 2 to	15 percent slopes	
Site Condition: Good					
Site Type (choose one)	(a) Artifact Scatter	(No other features visib			
X	(b) Features with	associated artifacts	(c) Feature	s with NO associated artifacts	
Assemblage Composition				or types known only to be	
Mark Colonia Paris		ypes not seen at the s		Ambanial exposition to altho	nte
Prehistoric Ceram			Glass Metal	Animal remains/artifa	100
32 Chipped Stone Groundstone	Shell	AT A STATE OF THE	Metal Historic Wood	Plant remains/artifact Human remains	4
	==				
			blage suggests t	hat ORPI 2019 B, Site 3 ma	ry
date to the Archaic period (8,500 BCE - 300	CE).			ay'
date to the Archaic period (8,500 BCE - 300	CE).	oe of feature record	led for this site.)	
Feature No. 1	8,500 BCE - 300	CE) eature record for each typ Use C	oe of feature record	led for this site.) ge Period/Phase	0.
date to the Archaic period (Feature 0:	8,500 BCE - 300 ata: (Complete one for the state of the	Use Cunknown United Cluster of only a sirely 65 cm (25.6 in) (N-S) indiversional color of the co	oe of feature record ulture A known Unk ngle course in he 3) × 46 cm (18.1 ibles comprise ti	ge Period/Phase nown Archaic period/ eight and of Indeterminate in) (E-W) × 9 cm (3.5 in)	0.
Feature No. 1 Name Feature 1 Remark, Feature function. This cluster measi (height). At least 15 volcani between 27×20×9 cm (10.6)	8,500 BCE - 300 ata: (Complete one for the state of the	Use Clunknown Unble cluster of only a sind vesicular basalt cot 7×6×4 cm (2.8×2.4×1	oe of feature record ulture A known Unk ngle course in he 0) × 46 cm (18.1 ibles comprise ti 6 in)	ge Period/Phase nown Archaic period? eight and of indeterminate in) (E-W) × 9 cm (3.5 in) he cluster, ranging in size	
Feature 0. Feature No. 1 Name Feature 1 Feature 1 Remark. Feature function. This cluster measi (height). At least 15 volcani between 27×20×9 cm (10.6)	ata: (Complete one for Count in the 1 is a small cobtures approximatel colored in the 1 is a small cobtures approximatel colored in the 1 is a small cobture approximatel colored in the 1 is a small colored in the 1 is a	Use Clunknown Unble cluster of only a sind vesicular basalt cot 7×6×4 cm (2.8×2.4×1	oe of feature record ulture A known Unk ngle course in he 0) × 46 cm (18.1 ibles comprise ti 6 in)	ge Period/Phase nown Archaic period/ eight and of Indeterminate in) (E-W) × 9 cm (3.5 in)	
Feature No. 1 Name Feature 1 Remark, Feature function. This cluster measi (height). At least 15 volcani between 27×20×9 cm (10.6)	ata: (Complete one for Count in the 1 is a small cobtures approximatel colored in the 1 is a small cobtures approximatel colored in the 1 is a small cobture approximatel colored in the 1 is a small colored in the 1 is a	Use Clunknown Unble cluster of only a sind vesicular basalt cot 7×6×4 cm (2.8×2.4×1	oe of feature record ulture A known Unk ngle course in he 0) × 46 cm (18.1 ibles comprise ti 6 in)	ge Period/Phase nown Archaic period? eight and of indeterminate in) (E-W) × 9 cm (3.5 in) he cluster, ranging in size	

Appendix I, Figure 3b. ASM Site Card for ORPI 2019 B, Site 3, pp. 2 of 2.

- VO 12	No. Lane			440		Recommended
	9 B, Site 4	Onner I Bad	Mayor C Had		eg.Opinion:	Eligible
Recorders: A Veech, Recording Organization:	J. Renaud, J. De National Park	A STATE OF THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS	inguez, S. Hart		Into Donord	ed: 06/27/2019
	ological Survey of		ers (11.3 Miles)			
	Pipe Cactus Natio					
The second secon	019 B. Site 4				*	
Land status (check one):	PVT CT	ry co	ST	TRIB	USFS	USFW
	NPS X BL	M DOD	ACE	BOR	RTC	
Owner/Agency name: C	Organ Pipe Cactus	National Mon	ument			
Survey Colls: Y	N X	Repository I	NAME OF TAXABLE PARTY.	A		
Report Reference: Na	tional Park Service	e, Intermounta	in Region Arch	aeology Proj	ect No. 2019	9 B
Mapname USGS	(b) (3) (B)		State:	AZ Count	y Pima	Et: ft
Site Size: In Ft	or M X Ler	ngth: 23	Width: 16			
How measured: ES			X MAP	TAI	PE	
	a) (2) (D)	BL	TWN	RNG	SEC	SUBDIVISION
cntr UTM Z 12 E	o) (3) (B)					
peri UTM Z E	N					
peri UTM Z E	N					
peri UTM Z E	N					
peri UTM Z E	N					
How were UTMs derived	USGS Map	GPS	X			
measuring 0.02 ha (0.05 b) (3) (B) east of site lies against the south roughly 23 m (75.5 ft) (N Fencetine Road, within the saltbrush, interspersed v	ac) in size, locate the (b) (B) (B) hern flank of a low -S) × 16 m (52.5 the Roosevelt Res with occasional ch	of the p v-lying.(b) (3) ft) (E-W). Its so ervation. Site v ain fruit cholla	ely (b) (3) (B) park, and (b) ((B) path hill puthern edge lie vegetation cons and saguaro.	o B) (B) I within the Lates less than sists predominal small (b) (continued)	f the Lukevi east of Agua Abra Plain b) (3) (B) nately of bu 3) (B)	lle Port of Entry, ajita Wash. The , and it extends orth of East reage and
site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with drainage lies approximal The Sonoyta River lies of While the artifacts contain number (n=9), they none utilized flaked stone artifications.	ac) in size, locate the (b) (3) (B) hern flank of a low i-S) × 16 m (52.5 the Roosevelt Resvith occasional chief (b) (3) (B) coughly (b) (3) (B) ined within the curetheless are diversacts (2 chert, 1 rh	ed approximate of the p v-lying. (b) (3) ft) (E-W). Its so ervation. Site v ain fruit cholla east of the sit to the so rrently demarc se in variety an yolite), 1 retou	ely (b) (3) (B) park, and (b) (c) park, and (b) (c) puthern edge lie vegetation cons and saguaro. A e, and another uthwest, and Q ated boundarie and material type ched obsidian	3) (B) I within the Lates less than (b) sists predominated from the sists of ORPI 20 a. The site as flake, 1 non-o	f the Lukevi east of Agua Abra Plain b) (3) (B) nately of bu 3) (B) ghly (b) (3) es (b) (3) 19 B, Site 4 semblage in diagnostic ch	lle Port of Entry, ajita Wash. The , and it extends orth of East reage and (B) to the (b) are small in icludes 3 non- nert uniface, 2
measuring 0.02 ha (0.05 b) (3) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed vidrainage lies approximal The Sonoyta River lies rowthile the artifacts contain number (n=9), they none	tac) in size, locate the (b) (3) (B) hern flank of a low I-S) × 16 m (52.5 the Roosevelt Reswith occasional chiely (b) (3) (B) oughly (b) (3) (B) ined within the cure theless are diversacts (2 chert, 1 rhrds, and 2 marine slightly north and 2019 Roosevelt R	ed approximate of the post- v-lying. (b) (3) ft) (E-W). Its so- ervation. Site value cholia east of the sit of the so- reently demarcs in variety am yolite), 1 retous shell fragment to upslope of the eservation sun	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) puthern edge lie vegetation cons and saguaro. A te, and another uthwest, and Q atted boundarie and material type ched obsidian is. Other obsidian is site's currently vey—imply tha	I within the Lates less than sists predominal small (5) (6) (6) (7) (7) (8) (9) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	f the Lukevi east of Agua a Abra Plain b) (3) (B) nately of bu 3) (B) ghly (b) (3) es (b) 19 B, Site 4 semblage in diagnostic of hell, and cer b boundaries B, Site 4 is a	lle Port of Entry, ajita Wash. The , and it extends oorth of East rsage and (B) to the (S) Ex) to the east. are small in icludes 3 non- nert uniface, 2 amic artifacts —outside the actually far larger
measuring 0.02 ha (0.05 b) (8) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed vidrainage lies approximal The Sonoyta River lies rownwher (n=9), they none utilized flaked stone artifications of the June 2 parameters of the June 2	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (8) (B) oughly (b) (3) (B) ined within the cure theless are diversacts (2 chert, 1 rhr ds, and 2 marine slightly north and 2019 Roosevelt Reity, warranting more pisodic, short er of raw materials	ed approximate of the post-lying. (b) (3) (1) (5) (5) (6) (1) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	ely (b) (3) (B) park, and (b) (c) park, and (b) (c) park, and (b) (c) park, and (c) puthern edge lie vegetation cons and saguaro. A e, and another uthwest, and (c) ated boundarie and material type ched obsidian is. Other obsidian is. Other obsidian is site's currently vey—imply tha camination and ridor leading to exotic obsidian of California to	I within the Lates less than sists predominal sistematical	f the Lukevi east of Agua a Abra Plain b) (3) (B) n nately of bu 3) (B) ghly (b) (3) es (b) 19 B, Site 4 semblage in diagnostic of hell, and cer d boundaries B, Site 4 is a some point conceivable california, pe shell artifact or north and	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in a cludes 3 non-nert uniface, 2 amic artifacts countside the actually far larger in the future. The that ORPI 2019 of sclearly indicate east. Thus, the
measuring 0.02 ha (0.05 b) (8) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (Nenceline Road, within the saltbrush, interspersed with the artifacts contain number (n=9), they none utilized flaked stone artification of the saltbrush of the saltbrush of the June 2 in both size and complex in both size and complex in both size and complex given its (b) (5) (b) (2) B. Site 4 is a campsite a either extended duration the transport or exchangiste holds potential for yithrough time.	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (8) (B) oughly (b) (3) (B) ined within the cure theless are diversacts (2 chert, 1 rhr ds, and 2 marine slightly north and 2019 Roosevelt Reity, warranting more pisodic, short er of raw materials	ed approximate of the post-lying. (b) (3) (1) (5) (5) (6) (1) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. A per and another uthwest, and (c) ated boundaries de material type ched obsidian is. Other obsidian is. Other obsidian is other obsidian is of california to tact regional ocu	I within the Lates less than sists predominal sistematical	f the Lukevi east of Agua a Abra Plain b) (3) (B) n nately of bu 3) (B) ghly (b) (3) es (b) (3) (19 B, Site 4 semblage in diagnostic ch nell, and cere diboundaries B, Site 4 is a some point a conceivable california, pe shell artifact er north and ization, and	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in a cludes 3 non-nert uniface, 2 amic artifacts countside the actually far larger in the future. The that ORPI 2019 of sclearly indicate east. Thus, the
measuring 0.02 ha (0.05 (b) (B) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with the saltbrush, interspersed with the saltbrush interspersed with the saltbrush interspersed with the artifacts contain number (n=9), they none utilized flaked stone artifacts contain the saltbrush of the saltbrush of the saltbrush of the June 2 in both size and complex (b) (b) (b) (c) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (8) (B) oughly (b) (3) (B) ined within the cure theless are diversacts (2 chert, 1 rhr ds, and 2 marine slightly north and 2019 Roosevelt Reity, warranting more pisodic, short er of raw materials	ed approximate of the post-lying. (b) (3) (1) (5) (5) (6) (1) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. A per and another uthwest, and (c) ated boundaries de material type ched obsidian is. Other obsidian is. Other obsidian is other obsidian is of california to tact regional ocu	I within the Lates less than sists predominal sists predominal sists predominal sists predominal sists predominal sists predominal sists of ORPI 20 sec. The site as flake, 1 non-can, marine sity demarcated to ORPI 2019 recording at sit is quite the Gulf of Cand marine sity points further coupation, utility is points further coupation, utility is sitted to the coupation of the coupat	f the Lukevi east of Agua a Abra Plain b) (3) (B) in nately of bu 3) (B) ghly (b) (3) es (b) 19 B, Site 4 semblage in diagnostic of diagnostic	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in a cludes 3 non-nert uniface, 2 amic artifacts coulside the actually far larger in the future. The that ORPI 2019 or haps one of a clearly indicate east. Thus, the trade patterns
measuring 0.02 ha (0.05 b) (8) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with the saltbrush (n=9), they none utilized flaked stone artification of the saltbrush of th	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (8) (B) oughly (b) (3) (B) ined within the cure theless are diversacts (2 chert, 1 rhr ds, and 2 marine slightly north and 2019 Roosevelt Reity, warranting more pisodic, short er of raw materials	ed approximate of the post-lying. (b) (3) (t) (E-W). Its solution. Site of the	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. Ale, and another uthwest, and Q ated boundaries and material type ched obsidian is. Other obsidian is. Other obsidian is of carrently vey—imply that carrination and ridor leading to exotic obsidian of California to tact regional oc	I within the Lates less than sists predominal sists predominal sists predominal sists predominal sists predominal sists predominal sists of ORPI 20 sec. The site as flake, 1 non-can, marine sity demarcated to ORPI 2019 recording at sit is quite the Gulf of Cand marine sity points further coupation, utility is points further coupation, utility is sitted to the coupation of the coupat	f the Lukevi east of Agua a Abra Plain b) (3) (B) in nately of bu 3) (B) phly (b) (3) es (b) 19 B, Site 4 semblage of diagnostic	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in cludes 3 non-nert uniface, 2 amic artifacts counting the future. The that ORPI 2019 whaps one of sclearly indicate east. Thus, the trade patterns document location
measuring 0.02 ha (0.05 b) (8) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with the saltbrush, interspersed with the saltbrush interspersed with the saltbrush interspersed with the saltbrush interspersed with the saltbrush interspersed with the artifacts contain the saltbrush interspersed with the sa	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (a) (B) oughly (b) (a) (B) oughly (b) (b) (c) (c) (c) (c) (c) (c) (c) (c) (c) (c	ed approximate of the post-lying. (b) (3) (1) (5) (5) (6) (1) (5) (6) (6) (6) (6) (6) (6) (6) (6) (6) (6	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. Ale, and another uthwest, and Q ated boundaries and material type ched obsidian is. Other obsidian is. Other obsidian is of carrently vey—imply that carrination and ridor leading to exotic obsidian of California to tact regional oc	I within the Lates less than sists predominal sists predominal sists predominal sists predominal sists predominal sists predominal sists of ORPI 20 sec. The site as flake, 1 non-can, marine sity demarcated to ORPI 2019 recording at sit is quite the Gulf of Cand marine sity points further coupation, utility is points further coupation, utility is sitted to the coupation of the coupat	f the Lukevi east of Agua a Abra Plain b) (3) (B) nately of bu 3) (B) phly (b) (3) es (A) 19 B, Site 4 semblage in diagnostic of hell, and cer d boundaries B, Site 4 is a some point conceivable california, pe shell artifact er north and ization, and	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in cludes 3 non-nert uniface, 2 amic artifacts counting the future. The that ORPI 2019 whaps one of sclearly indicate east. Thus, the trade patterns document location
measuring 0.02 ha (0.05 b) (8) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with the saltbrush (n=9), they none utilized flaked stone artification of the saltbrush of th	tac) in size, locate the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 the Roosevelt Reswith occasional chilely (b) (a) (B) oughly (b) (a) (B) ined within the cure theless are diversacts (2 chert, 1 rhrds, and 2 marine slightly north and 2019 Roosevelt Reity, warranting more pisodic, short of raw materials elding information	ed approximate of the post-lying. (b) (3) (t) (E-W). Its solution. Site of the	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. Ale, and another uthwest, and (c) ated boundarie and material type ched obsidian is. Other obsidian is. Other obsidian is of cheropidian is of california to tact regional oc Additional D Additional D	I within the Lates less than a sists predominal (Ib) (Ib) (Ib) (Ib) (Ib) (Ib) (Ib) (Ib)	f the Lukevi east of Agua Abra Plain (a) (B) (B) nately of bu (b) (B) (c) (B) (d) (B) (d) (B) (d) (B) (e) (B)	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in cludes 3 non-nert uniface, 2 amic artifacts counting the future. The that ORPI 2019 whaps one of sclearly indicate east. Thus, the trade patterns document location
measuring 0.02 ha (0.05 b) (B) (B) east of east of site lies against the south roughly 23 m (75.5 ft) (N Fenceline Road, within the saltbrush, interspersed with the saltbrush (n=9), they none utilized flaked stone artification of the saltbrush of the saltbrush (but not recorded) parameters of the June 2 in both size and complex in both size and complex (Siven its (b) (5) (b) (2) B, Site 4 is a campsite a either extended duration the transport or exchangiste holds potential for yith through time. Agency Site: A	the (b) (3) (B) hern flank of a low l-S) × 16 m (52.5 fine Roosevelt Res with occasional ch lely (b) (a) (B) oughly (b) (a) (B) ined within the cur otheless are divers acts (2 chert, 1 rh rds, and 2 marine slightly north and 2019 Roosevelt R city, warranting me ssociated with the or episodic, short e of raw materials elding information	ed approximate of the post-lying. (b) (3) (ft) (E-W). Its solution. Site value fruit chollal east of the site of the solution are rently demarcs in variety anyolite), 1 retou shell fragment upslope of the eservation surpore rigorous exite Salt Trail Conti-term use. Its strom the Gulf about precontinuous procession and the continuous exits of the continuous exits o	ely (b) (3) (B) park, and (b) (C) park, and (b) (C) park, and (b) (C) park, and (c) puthern edge lie vegetation cons and saguaro. Ale, and another uthwest, and (c) ated boundarie and material type ched obsidian is. Other obsidian is. Other obsidian is site's currently vey—imply tha camination and ridor leading to exotic obsidian of California to lact regional oc	I within the Lates less than a sists predominal (Ib) (Ib) (Ib) (Ib) (Ib) (Ib) (Ib) (Ib)	f the Lukevi east of Agua Abra Plain (a) (B) (B) nately of bu (b) (B) (c) (B) (d) (B) (d) (B) (d) (B) (e) (B)	lle Port of Entry, ajita Wash. The and it extends forth of East reage and (B) to the (b) (B) to the east. The same small in cludes 3 non-nert uniface, 2 amic artifacts counting the future. The that ORPI 2019 of sclearly indicate east. Thus, the trade patterns document location

Appendix I, Figure 4a. ASM Site Card for ORPI 2019 B, Site 4, pp. 1 of 2.

Site vegetation consists predominately of bursage and salithrush, interspersed with occasional chain fruit cholia and saguaro. Seclogy/soils: Harqua-Gunsight complex; Lomitas very stony loam, 8 to 40 percent slopes Site Condition; Good Site Type (choose one) X (a) Artifact Scatter (No other features visible on the surface) (b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "0" for types not seen at the site.) 2 Prehistoric Ceramic FCR Glass Animal remains/artifacts 5 Chipped Stone 2 Shell Metal Plant remains/artifacts Groundstone Historic Ceramic Historic Wood Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks. Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature Data: (Complete one feature record for each type of feature recorded for this site.) Feature No. 1 Name Count Use Culture Age Period/Phase			IS-ADDIV)			
(2) Open, depth (6) Rockshelter, depth (9) Cave, depth (3) Open, depth unknown (7) Rockshelter, depth unknown (10) Cave, depth unknown (4) Open, exposed only in profile Topo, Setting: The site lies against the southern flank of a low-lying, east-west-trending hill within the La Abra Plain. Vegetation: Site vegetation consists predominately of bursage and saltbrush, interspersed with occasional chain fruit cholica and saguaro. Seclogy/soils: Harqua-Gunsight complex; Lomitas very story loam, 8 to 40 percent slopes Site Condition: Good Site Type (choose one): X (8) Artifact Scatter (No other features visible on the surface) (b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "0" for types not seen at the site.) 2 Prehistoric Ceramic FCR Glass Animal remains/artifacts 5 Chipped Stone 2 Shell Metal Plant remains/artifacts Groundstone Historic Ceramic Historic Wood Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks: Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature No. 1 Name Count Use Culture Age Period/Phase Feature No. 2 Name Count Use Culture Age Period/Phase	- 1. June brandt 3.	mentioners, such analysis as a		no depth	(8) Ca	ve, no depth
X (3) Open, depth unknown	(2) Open, d	CD St. p. d.		The second second second	100	
Site vegetation: Site vegetation consists predominately of bursage and saltbrush, interspersed with occasional chain fruit cholia and saguaro.	X (3) Open, de	epth unknown	(7) Rockshelter			
cholla and saguaro. Geology/soils. Harqua-Gunsight complex; Lomitas very stony loam, 8 to 40 percent slopes Site Condition: Good Site Type (choose one) X (a) Artifact Scatter (No other features visible on the surface) (b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "D" for types not seen at the site.) Prehistoric Ceramic FCR Glass Animal remains/artifacts Chipped Stone 2 Shell Metal Plant remains/artifacts Groundstone Historic Ceramic Historic Wood Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks: Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature Data: (Complete one feature record for each type of feature recorded for this site.) Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark:	Topo Setting:	The site lies against	the southern flank of a	low-lying, east-wes	t-trending hill	within the La Abra Plain
Site Type (choose one) X (a) Artifact Scatter (No other features visible on the surface) (b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "0" for types not seen at the site.) 2 Prehistonic Ceramic			sts predominately of b	ursage and salthrus	h, intersperse	ed with occasional chain fruit
Site Type (choose one) X (a) Artifact Scatter (No other features visible on the surface) (b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "D" for types not seen at the site.) 2 Prehistoric Ceramic FCR Glass Animal remains/artifacts 5 Chipped Stone 2 Shell Metal Plant remains/artifacts Groundstone Historic Ceramic Historic Wood Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks, Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase	Geology/soils.	Harqua-Gunsight cor	nplex, Lomitas very st	ony loam, 8 to 40 pe	ercent slopes	
(b) Features with associated artifacts (c) Features with NO associated artifacts Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "0" for types not seen at the site.) 2	Site Condition:	Good				
Assemblage Composition (indicate quantities as counts, estimated ranges, "P" for types known only to be present, "0" for types not seen at the site.) 2 Prehistoric Ceramic	Site Type (chaose on					b HO annulated sale us
present, "0" for types not seen at the site.) 2		(p) Featu	res with associated art	itacts (c)	Leafntee Mi	n NO associated annacts
2 Prehistoric Ceramic	Assemblage Comp	A contract of the contract of			s, "P" for ty	pes known only to be
5 Chipped Stone Groundstone 2 Shell Historic Ceramic Historic Wood Human remains/artifacts Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks. Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature Data: (Complete one feature record for each type of feature recorded for this site.) Feature No. 1 Name Count Use Culture Age Period/Phase Feature No. 2 Name Count Use Culture Age Period/Phase	2 (2) (4)			The second secon		And the second second
Groundstone Historic Ceramic Historic Wood Human remains Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks. Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature Data: (Complete one feature record for each type of feature recorded for this site.) Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase	To Continue Services	Contract to the second	5.75		_	
Diagnostics (indicate quantity of cultural/temporal/functional types as counts, estimates, or "P") Assemblage Remarks: Site ceramic sherds denote a post-Archaic (post 300 CE) occupation, likely during the Hohokam Classic period (1150-1400 CE). Exotic obsidian and marine shell artifacts clearly indicate the transport or exchange of raw materials from the Gulf of California to points further north and east. Feature Data: (Complete one feature record for each type of feature recorded for this site.) Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase			and the same of th		Wood	
Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase						
Feature No. 1 Name Count Use Culture Age Period/Phase Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase	Hohokam Classic p	period (1150-1400)	CE). Exotic obsidiar	and marine shell	artifacts cle	arly indicate the transport
Feature 1 Remark: Feature No. 2 Name Count Use Culture Age Period/Phase	Hohokam Classic por exchange of raw	period (1150-1400 v materials from the	CE). Exotic obsidiar e Gulf of California to	and marine shell o points further no	artifacts cle	early indicate the transport
Feature No. 2 Name Count Use Culture Age Period/Phase	Hohokam Classic por exchange of raw	period (1150-1400 v materials from the Feature Data: (Compl	CE). Exotic obsidiar e Gulf of California to ete one feature record to	and marine shell o points further no for each type of featu	artifacts cle rth and eas re recorded to	early indicate the transport
Name Count Use Culture Age Period/Phase	Hohokam Classic por exchange of raw	period (1150-1400 v materials from the Feature Data: (Compl	CE). Exotic obsidiar e Gulf of California to ete one feature record to	and marine shell o points further no for each type of featu	artifacts cle rth and eas re recorded to	early indicate the transport
Name Count Use Culture Age Period/Phase	Hohokam Classic por exchange of raw Feature No. 1 Name	period (1150-1400 v materials from the Feature Data: (Compl	CE). Exotic obsidiar e Gulf of California to ete one feature record to	and marine shell o points further no for each type of featu	artifacts cle rth and eas re recorded to	early indicate the transport
eature 2 Remarks:	eature No. 1 Name	period (1150-1400 v materials from the Feature Data: (Compl	CE). Exotic obsidiar e Gulf of California to ete one feature record to	and marine shell o points further no for each type of featu	artifacts cle rth and eas re recorded to	early indicate the transport
	Feature No. 1 Name Feature 1 Remark:	period (1150-1400) v materials from the Feature Data: (Compl	CE). Exotic obsidiar e Gulf of California to ete one feature record to unt Use	and marine shell o points further no for each type of featu Culture	artifacts cle rth and easi re recorded to Age	or this site.) Period/Phase

Appendix I, Figure 4b. ASM Site Card for ORPI 2019 B, Site 4, pp. 2 of 2.

- Y211	102	2, 22.11								Additional Evaluation	
Field No:			B, Site 5			- 11		tl. Reg.Op	inion:	Required	_
Recorders:						uez, S. Hart					
Recording				al Park Serv		(## C ##))				led: 06/28/2019	
Project Nar Site Name	me:	Organ F	Pipe Cacti 019 B, Sit	us National	Monument, F	Pima County,	Arizona	(Project N	lo. OR	national Border RPI 2019 B)	-
Land status			The second second	CTY	CO	ST	TRIE	3 U	ISFS	USFW	
			NPS	X BLM	DOD	ACE	BOR	R	TC		
Owner/Age	ency na	me: O	rgan Pipe	Cactus Na	tional Monun	ment					
Survey Col		Y	N		epository Ins				-		
Report Ref	erence	Nat			termountain	Region Arch			2019	9 B	_
Napname U	SGS:		(b) (3) (l			State:	AZ C	ounty	Pima	El	ft
Site Size:	in Ft		or M X	Length:	75 W	idth: 35					
low measur	red:	ES1		PACE	GPS _	X MAP		TAPE		2.250	
		7	(A) (B)		BL	TWN	RNG	SEC	3	SUBDIVISIO	N
ontr UTM 2	-) (3) (B)				_	-	_		
peri UTM 2		E		N							
peri UTM 2		E_		N	-		_	-			
peri UTM 2		E		N							_
peri UTM 2		E		N			_				
How were U	TMs de	rived:	USGS	S Map	GPS	X					
ORPI 2019 and is local (3) (B) Blankenshi SE) × 35 m nterfluve w	B, Sitted ap ip Ran in (114. which is	e 5 is a proxima of the ch entry 8 ft) (NE	multicom tely (b) (8 e park, (b) road, Sit -SW) and (B)) (B) b) (3) (B) uated within d is disperse	of the Lu west of Of the Sonoyta ed across the	keville Port of RPI 2019 B. 3 Valley, the se south-facing	of Entry, Site 3, ar site mea: g slope of Site ve	(b) (3) (End (b) (3) sures roug of a low-lying getation in	(B) hily 75 ng, cot	5 m (246,1 ft) (f bble-strewn es bursage,	e NW-
ORPI 2019 and is local b) (3) (B) Blankenshi SE) × 35 m interfluve w grasses, a lies approx The Sonoy A total of 7 precontact interms, inclu of debitage chalcedony these inclu	B B, Sittled applied in (114.) Ip Ranin (114.) In Ranin (114.) It which is few medimately ta Rive I artifate Native auding 2 a. Lithic y, and I refer to the property of t	e 5 is a proxima of the chentry 8 ft) (NE (5) (3) esquite (15) (3) er is situated at tested at material basalt.	multicomitely (b) (3) e park, (1) road. Sitt road. Sitt road. Sitt rees, and (B) ated rough e identifies an lithic acobbles, (a) al types refree 4 add basalt p	(a) (b) (c) (c) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	west of Off the Sonoyta ed across the hall saguaro. e site, and ar (B) to the RPI 2019 B, the 70 identifi primary flake within this as artifacts with	a Valley, the se south-facing A fairly large nother lies rous south-southwaste 5, all but fied lithic artifes, 24 second seemblage in	of Entry, Site 3, are site mean g slope of Site ve e. (b) (3 ughly(b) west. It one of v facts, sor lary flake clude vol chibit mo	(b) (3) (E) (d) (b) (3) sures roug of a low-lyir egetation in (a) (B) (b) (c) (c) (d) (d) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	(B) thly 75 ng, coth nclude non-dia non-uiry flake eous ro	west of the vest of the in (246.1 ft) (f) bble-strewn es bursage, drainage east of the site. agnostic, tilized flaked st es, and 4 piece bock, chert, obable use, an	e NW- e
and is local (3) (8) (B) Blankenshi SE) × 35 m Interfluve w grasses, a lies approx The Sonoy A total of 7 precontact items, incluited the contact items, incluited the contact items incluited the contact item	B, Sitted applied Randon (114.) which is few micimately ta Rive 1 artifated Native Liding 2 a. Lithid (1 artifated Randon (1 a	e 5 is a proxima of the chientry 8 ft) (NE (b) (8) esquite (b) (6) er is situated tested translation occ biffingeriod a caliber 19 B, Situated 19 B, Situate	multicomitely (b) (3) e park, (b) (5) e park, (b) (c) (b) (c) (c) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	(B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	west of Office the Sonoyta and across the sall saguaro. It is sall sall saguaro. It is sall sall saguaro. It is sall sall sall sall sall sall sall s	a Valley, the se south-facing A fairly large nother lies rous south-southwaste 5, all but fied lithic artifies, 24 second seemblage in the site exhert flake, 1 value B, Site 5, site 5, site 5	of Entry, Site 3, ar site mean g slope of Site ve e, (b) (3) ughly(b) west. It one of v facts, sor dary flake clude voi chibit mo volcanic tuated w rifle shell	(b) (3) (E) (d) (5) (S) sures rought a low-lying estation in (5) (B) (S) (B) (S) (B) (S) (E) (S) (E) (S) (E) (E) (E) (E) (E) (E) (E) (E) (E) (E	(B) And the control of the control	west of the vest of the vest of the m (246.1 ft) (f bble-strewn es bursage, drainage east of the site. agnostic, tilized flaked stees, and 4 piece ock, chert, obable use, and 1 butheast quadrums reasonable	e NW-e one es d
ORPI 2019 and is local b) (3) (B) Blankenshi SE) × 35 m interfluve w grasses, a lies approx The Sonoy A total of 7 precontact items, inclu of debitage chalcedony these incluivolcanic ign The sole hi is a brass, classify OR indeterminate Agency Site:	B, Sittled application of (114), which is few merimately ta River (1 artifat Native uding 2 a. Lithic y, and de 1 reneous istoricate age.	e 5 is a proxima of the chientry 8 ft) (NE (b) (8) esquite (b) (6) er is situated tested translation occ biffingeriod a caliber 19 B, Situated 19 B, Situate	multicomitely (b) (3) e park, (b) (5) e park, (b) (c) (b) (c) (c) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	(B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	west of Office the Sonoyta and across the sall saguaro. It is sall sall saguaro. It is sall sall saguaro. It is sall sall sall sall sall sall sall s	a Valley, the se south-facing A fairly large nother lies rous south-southwaste 5, all but fied lithic artifies, 24 second seemblage in the site exhert flake, 1 value of the response of the r	of Entry, Site 3, ar site mean g slope of Site ve e. (b) (3) ughly(b) west. It one of v facts, sor dary flake clude voi chibit mo volcanic i tuated w iffle shell curemen	(b) (3) (E) (d) (5) (S) sures rought a low-lying estation in (a) (B) (B) (C) (B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	(B) And the control of the control	west of the vest of the vest of the m (246.1 ft) (f bble-strewn es bursage, drainage east of the site. agnostic, tilized flaked stees, and 4 piece ock, chert, obable use, and 1 butheast quadrums reasonable	e www-ee cone es d
ORPI 2019 and is local b) (3) (B) Blankenshi SE) × 35 m interfluve w grasses, a lies approx The Sonoy A total of 7 precontact items, inclu of debitage chalcedony these inclu volcanic ign The sole hi is a brass, classify OR indetermina Agency Site:	B, Sitted applied in (114.) Ip Ranin (1	e 5 is a proxima of the chientry 8 ft) (NE (b) (8) esquite (b) (6) er is situated tested translation occ biffingeriod a caliber 19 B, Situated 19 B, Situate	multicomitely (b) (3) e park, (b) (5) e park, (b) (c) (b) (c) (c) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	(B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	west of Off the Sonoyta d across the nall saguaro, e site, and ar (B) to the RPI 2019 B, the 70 identif primary flake within this as artifacts with e, 1 utilized cl n ORPI 2019 Vith the exce	a keville Port of RPI 2019 B. Sa Valley, the sa south-facing A fairly large nother lies rous south-southwaste 5, all but fied lithic artifies, 24 second seemblage in the site exhert flake, 1 value B. Site 5, site ption of the rican lithic products.	of Entry, Site 3, ar site mean g slope of Site ve e. (b) (3) ughly(b) west. It one of v facts, sor dary flake clude voi chibit mo volcanic i tuated w iffle shell curemen	(b) (3) (E) (d) (S) sures rought a low-lying estation in (S)	mon-dia non-di	west of the vest of the vest of the vest of the m (246.1 ft) (ft) bble-strewn es bursage. Irainage east of the site. agnostic, tilized flaked stees, and 4 piece ock, chert, obable use, and face, and 1 outheast quadrums reasonable g site of	e www-ee cone es d
ORPI 2019 and is local b) (3) (B) Blankenshi SE) × 35 m nterfluve w grasses, a lies approx The Sonoy A total of 7 precontact terns, inclu of debitage chalcedony these inclu volcanic ign The sole hi s a brass, classify OR ndetermin: Agency Site: Agency Site: Agency Proj.	B, Sitted applied in (114.) Ip Ranin (1	e 5 is a proxima of the chientry 8 ft) (NE (b) (8) esquite (b) (6) er is situated tested translation occ biffingeriod a caliber 19 B, Situated 19 B, Situate	multicomitely (b) (3) e park, (b) (5) e park, (b) (c) (b) (c) (c) (d) (d) (e) (d) (e) (e) (e) (e) (e) (e) (e) (e) (e) (e	(B) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C	west of Office the Sonoyta and across the sall saguaro. It is sall sall saguaro. It is sall sall saguaro. It is sall sall sall sall sall sall sall s	a keville Port of RPI 2019 B. Sa Valley, the sa south-facing A fairly large nother lies rous south-southwaste 5, all but fied lithic artifies, 24 second seemblage in the site exhert flake, 1 value B. Site 5, site ption of the rican lithic products.	of Entry, Site 3, ar site mean g slope of Site ve e. (b) (3) ughly(b) west. It one of v facts, sor dary flake clude voi chibit mo volcanic i tuated w iffle shell curemen	(b) (3) (E) (d) (S) sures rought a low-lying estation in (S)	hilly 75 ng, coth north distribution of the second project unit te's so it seems in in in	west of the vest of the vest of the vest of the m (246.1 ft) (ft) bble-strewn es bursage. Irainage east of the site. agnostic, tilized flaked stees, and 4 piece ock, chert, obable use, and face, and 1 outheast quadrums reasonable g site of	e www-ee cone es d

Appendix I, Figure 5a. ASM Site Card for ORPI 2019 B, Site 5, pp. 1 of 2.

Depositional Con			MUSEUM ARCHA	AEOLOGICAL SITE	CARD	Side (5
the state of the s	itext: (choose as m		- WARRY -		100	o straine	
	no depth	4.5	Rockshelter, no	41.10		ve, no depth	
(2) Open,			Rockshelter, de		1000	ve, depth	
	depth unknown exposed only in		cockshelter, de	epth unknown	(10) Ca	ve, depth unknown	
Topo. Setting.	The site is disper bracketed by two				, cobble-str	ewn interfluve which is	
Vegetation:	Site vegetation in	ncludes bursa	ge, grasses, a fe	ew mesquite trees.	and severa	small saguaro	
Geology/soils:	Gilman very fine	sandy loam (s	saline) Gunsigh	t very gravelly loar	n, 2 to 15 p	ercent slopes	
Site Condition:	Good						
Site Type (choose	The second second		The same state of	es visible on the s	the state of the state of	See To the Section See to the Section	
	(b) F	eatures with a	ssociated artifac	cts (c) F	eatures wit	h NO associated artifacts	
Assemblage Con	nposition (India	cate quantitie	s as counts, e	stimated ranges	"P" for typ	es known only to be	
		The state of the s	pes not seen a			And the same and the same	
	oric Ceramic	FCR		Glass		Animal remains/artifacts	
70 Chipper Ground		Shell	ic Ceramic	1 Metal Historic W	load	Plant remains/artifacts Human remains	
Ground	FIOUE	HISLUI	it ceramic	(HISTORIC VI		()dinan jerilanis	
1 1892	e, ca. AD 1873-						_
_							-
Assemblage Ren reasonable to cla of indeterminate	assify ORPI 2019 age	B, Site 5 as	a precontact I	Native American	caliber rifl lithic procu	e shell cartridge, it seems trement and processing si	te
or mucialitimate	Feature Data: (Co	Delibuord rune ter		each type of feature	recorded to		
	Feature Data: (C			each type of feature	recorded fo		
	Feature Data: (C	Count	Use	Culture	Age	Period/Phase	
Feature No. 1		Count.				Carried Co.	
Feature No. 1 Name Feature 1 Remai		Count.				Carried Co.	
Feature No. 1 Name		Count.				Carried Co.	
Feature No. 1 Name Feature 1 Remar Feature No. 2	řk:		Use	Culture	Age	Period/Phase	

Appendix I, Figure 5b. ASM Site Card for ORPI 2019 B, Site 5, pp. 2 of 2.